
Barański®
DRZWI
INTERIOR
WOODEN
PREMIUM DOORS
2026 Edition 1



A HIGHER STANDARD OF **DOORS**

Barański®
DRZWI

TIKTOK

INSTAGRAM

Barański Doors is one of the largest woodworking manufacturers in Poland. We are experts in wood and know nearly everything there is to know about it. For more than 30 years, in the heart of the Warmia and Masuria region, we have been crafting doors distinguished by exceptional quality and original design. We meticulously oversee every stage of the manufacturing process and pay close attention to even the smallest details. Every door collection we create stands out through its distinctive design, outstanding craftsmanship, and innovative engineering solutions.

WHAT SETS APART
PREMIUM INTERIOR DOORS

WOOD IS THE FOUNDATION

Each door is built using solid pine timber, engineered wood materials, and premium oak or ash veneer. Every element has been carefully designed to ensure exceptional quality and lasting durability for years to come.

CUSTOM SIZES

Choose from five standard door widths and as many as ten height options, ranging from 206 cm up to 250 cm. Additional door leaf trimming allows the door to fit virtually any opening.

AVAILABLE IN ANY COLOR

Eight translucent wood stain finishes and eight solid RAL colors are available as standard. For complete personalization, any RAL or NCS color can be selected.



This edition is valid from July 14, 2025. As of this date, all previous editions covering the same product range become invalid.



table of **CONTENTS**

COLLECTIONS

LAMELO	6-7
GRAND	8-9
BARON	10-21
LUPO	22-31
BARCELONA	32-35
FOCUS	36-37
LAGO	38-41
LEPRE	42-43
MERKURY	44-45
WENUS	46-49
MAGNAT	50-51
SEVILLA	52-55
VENETO	56-57
MALAGA	58-61
WENECJA	62-63
GLASS	64-67

OTHER

FINISHES & COLORS	68-71
SLIDING SYSTEMS	72-77
DISCREET SYSTEM	78-79
DOOR FRAMES	80-84
DOOR DIMENSIONS	85
SIDELIGHTS	86-91
DECORATIVE ELEMENTS	92-93
ACCESSORIES	94
HANDLES	95



collection LAMELO

The LAMELO collection was inspired by contemporary wooden slat feature walls. Their distinctive design brings a sense of lightness to the interior while creating a warm and inviting atmosphere. Doors from this collection pair especially well with smoked graphite glass, enhancing their modern architectural character.

Available Finishes




Straig ht Oak | Textured RAL | Smoot h RAL





1. VSG Safety Glass 6mm
2. Vertical Slats
3. Solid Pine Timber Frame




Hinged – Rebated and Non-Rebated | Reverse-Opening Hinged | Classic Wall-Mounted Sliding | Loft Wood Wall-Mounted Sliding | Pocket Sliding | Widths: 60–100 cm | Widths: 120–180 cm | Heights: 207–250 cm | Can Be Shortened by 2, 4, 6, or 8 cm

Collection LAMELO


inner wings

A.1



Finish: Smooth RAL, Neutral White RAL 9016, Smoked Graphite Glass, Lila 03 Black Handle

A.1



Finish: Textured RAL, Pacific Blue RAL 5008, Black Glass, Pyrola 04 Gold Handle

A.1



Finish: Straight Oak, Color 02 Natural Oak, Milky Glass, Lila 03 Black Handle

Presented Configurations:

Non-Rebated Door Frame
STANDARD Architraves, Type B – 90°
6 mm VSG Safety Glass

Available Finishes



Straight Oak | Textured RAL | Smooth RAL


Available Glass Colors:

Clear, Milky, Smoked Graphite, Black

Optional Features

- Width “100”
- Black or Smoked Graphite Glass
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

A.1



Finish: Textured RAL, Black RAL 9004, Black Glass, Kalmia 04 Gold Handle

Collection GRAND

The GRAND collection is one of Barański Doors' best-selling designs. Thanks to its wide selection of finishes, it complements virtually any interior style. The white version with concealed hinges is perfect for Scandinavian and minimalist spaces, while the natural straight oak veneer is an excellent choice for Provence- or Art Deco-inspired interiors.


Available Finishes



Straight Oak | Textured RAL | Smooth RAL




Architrave: STANDARD
Architrave Joint: Type B – 90°




1. 6 mm VSG Safety Glass
2. HDF Facing Board
3. Solid Pine Timber Frame

Model: Grand A.1
Finish: Straight Oak
Color: 02 Natural Oak
Door Frame: Non-Rebated
Glass: 4 mm Milky VSG Safety Glass
Architraves: STANDARD Type B – 90°
Handle: Pina 03 Black


PLN 2 370




Hinged – Rebated and Non-Rebated




Reverse-Opening Hinged




Classic Wall-Mounted Sliding



Loft Wood Wall-Mounted Sliding




Pocket Sliding




Widths: 60–100 cm



Widths: 120–180 cm



Heights: 207–250 cm



Can Be Shortened by 2, 4, 6, or 8 cm

Collection GRAND

inner wings

A.1



Finish: Smooth RAL, Color: Neutral White RAL 9016, Handle: Pina 03 Black

A.1



Finish: Textured RAL, Color: Olive Green RAL 6003, Handle: Pina 03 Black

A.1



Finish: Textured RAL, Color: Black RAL 9004, Handle: Pina 06 Copper

Presented Configurations

Door Frame: Non-Rebated
Architraves: STANDARD Type A – 45°
Glass: 6 mm Milky VSG Safety Glass

Available Finishes



Straight Oak | Textured RAL | Smooth RAL

Available Glass Colors

Milky, Black

Optional Features

- Width “100”
- Black Glass
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

A.1




Door Frame: Rebated, Finish: Straight Oak, Color: 04 Grey, Handle: Azalia 03 Blac

Collection
BARON

The BARON collection is distinguished by its deep-routing technology. This manufacturing technique creates refined, elegant detailing that gives the doors a light visual appearance while allowing them to complement both contemporary and traditional interiors.

Available Finish


Smoot
h RAL




Architrave: STANDARD
Architrave Joint: Type A – 45°




1. 6 mm VSG Safety Glass
2. 10 mm MDF Panel
3. Decorative Routed Detail
4. Solid Pine Timber Frame
5. Honeycomb Acoustic Core




Hinged – Rebated and Non-Rebated




Reverse-Opening Hinged




Classic Wall-Mounted Sliding



Loft Wood Wall-Mounted Sliding




Pocket Sliding




Widths: 60–100 cm



Widths: 120–180 cm



Heights: 207–250 cm



Can Be Shortened by 2, 4, 6, or 8 cm

Collection BARON

inner wings

A.9



A.6



A.7



A.5



Handle: Kalmia 04 Gold

Presented Configurations

Finish: Smooth RAL
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD Type A – 45°
Handle: Pina 03 Black

Available Finishes

Smooth RAL

Available Glass Colors

Clear, Milky, Smoked Graphite, Black

Optional Features

- Width “100”
- Black or Smoked Graphite Glass
- Single-Sided Sandblasted Design
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal



Model: Baron B.3
Finish: Smooth RAL
Color: Neutral White RAL 9016
Door Frame: Non-Rebated
Glass: 6 mm Clear VSG Safety Glass
Architraves: STANDARD Type A – 45°
Handle: Dalia 05 Matt Gold
Sidelight: IM 02 D

Collection BARON

inner wings

B.1



B.2



Glass: 6 mm Clear Engraved Glass with Bar Pattern, Standard Non-Tempered

B.4



Glass: 6 mm Clear VSG Safety Glass

Presented Configurations

Finish: Smooth RAL
Color: Neutral White RAL 9016
Door Frame: Non-Rebated
Architraves: STANDARD Type A – 45°
Handle: Azalia 02 Satin Chrome

Available Finishes

Smooth
RAL

Available Glass Colors:

Clear, Milky, Smoked Graphite, Black, Beveled Decormat, and Beveled Clear


Optional Features

- Width “100”
- Black or Smoked Graphite Glass (B.2), B.3, B.4)
- Beveled Glass (B.2, B.3)
- Engraved Glass
- Single-Sided Sandblasted Design
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

B.1



Handle: Azalia 03 Black



Model: Baron B.5
Finish: Smooth RAL
Color: Neutral White RAL 9016
Door Frame: Non-Rebated
Architraves: STANDARD Type A – 45°
Handle: Lila 03 Black

Collection BARON

inner wings

B.10



B.11



B.6



B.8



Presented Configurations

Finish: Smooth RAL
Color: Khaki Green RAL 6003
Door Frame: Non-Rebated
Architraves: STANDARD Type A – 45°
Handle: Lila 03 Black

Available Finishes:

Smooth RAL

Available Glass Colors:

Clear, Milky, Smoked Graphite, Black

Optional Features

- Width “100”
- Black or Smoked Graphite Glass (B.10), (B.11)
- Beveled or Engraved Glass (B.10), (B.11)
- Single-Sided Sandblasted Design (B.11)
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95

Model: Baron C.4
Finish: Smooth RAL
Color: Neutral White RAL 9016
Door Frame: Non-Rebated
Glass: 6 mm Milky VSG Safety Glass
Decorative Glass Design: Single Frame
Architrave: WERONA I Decorative Package
Type B – 90°
Handle: Dalia 02 Satin Chrome



Collection BARON

inner wings

C.1 C.2 C.3 C.4



Decorative Glass Design: Single Frame

Presented Configurations

Finish: Smooth RAL
Color: Stone Grey RAL 7030
Door Frame: Non-Rebated
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD Type A – 45°
Handle: Dalia 03 Black

Available Finishes

Smooth RAL

Available Glass Colors:

Clear, Milky, Smoked Graphite, Black

Optional Features

- Width “100”
- Black or Smoked Graphite Glass (C.2), (C.4)
- Single-Sided Sandblasted Design (C.2), (C.4)
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95



Model: Baron D.4
Finish: Smooth RAL
Color: Neutral White RAL 9016
Door Frame: Non-Rebated
Architraves: STANDARD Type A – 45°
Handle: Kalmia 03 Black

Collection BARON

inner wings

D.1

NEW



D.2



NEW

D.3



NEW

D.4



NEW

Presented Configurations

Finish: Smooth RAL
Color: RAL 9002
Door Frame: Non-Rebated
Architraves: STANDARD Type A – 45°
Handle: Kalmia 03 Black

Available Finishes

Smooth RAL

Optional Features

- Width “100”
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal


Model: Baron E.1
Finish: Smooth RAL
Color: Scandinavian White RAL 9003
Door Frame: Non-Rebated
Architraves: STANDARD Type A – 45°
Handle: Hampton Short Brass
17 Polished Nickel
Height: 2303 mm (H6)

E.2



NEW

E.3



Glass: 6 mm Black VSG Safety Glass

NEW

E.4



Glass: 6 mm Smoked Graphite VSG Safety Glass

NEW

E.5

NEW



Presented Configurations

Finish: Smooth RAL
Color: Cashmere NCS S 2005 Y50R
Door Frame: Non-Rebated
Architraves: STANDARD Type A – 45°
Handle: Hampton Short Brass 03 Black

Available Finishes

Smooth RAL

Available Glass Colors:

Clear, Milky, Smoked Graphite, Black

Optional Features

- Width “100”
- Black or Smoked Graphite Glass (E.3), (E.4)
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

Collection **LUPO**

The LUPO collection is available in the full range of finishes, including natural Straight Oak and Crown-Cut Oak veneers, which give the doors an exceptionally striking appearance. The collection is distinguished by additional decorative details such as routed patterns, glass inserts, and specially designed metal trim.


Available Finishes:




Straight Oak | Crown-Cut Oak | Textured RAL | Smooth RAL



Decorative Panel



1. HDF Facing Board
2. Solid Pine Timber Frame
3. Tubular Particleboard Core
4. Flush-Mounted Opaque Glass Insert
5. Decorative Metal Trim



Hinged – Rebated and Non-Rebated | Reverse-Opening Hinged | Classic Wall-Mounted Sliding | Loft Wood Wall-Mounted Sliding | Pocket Sliding | Widths: 60–100 cm | Widths: 120–180 cm | Heights: 207–250 cm | Can Be Shortened by 2, 4, 6, or 8 cm

Collection LUPO

inner wings

A.1



A.2



A.3



A.4



Prezentowane modele

Finish: Crown-Cut Oak
Color: 02 Natural Oak
Door Frame: Non-Rebated
Architraves: STANDARD Type B – 90°
Handle: Kalmia 03 Black

Available Finishes



Straight Oak | Crown-Cut Oak | Textured RAL | Smooth RAL

Optional Features

- Width “100”
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95



Routed Detail with Exposed Core Panel

Model: Lupo A.6
Door Leaf Finish: Straight Oak
Door Leaf Color: 02 Natural Oak
Door Frame Finish: Textured RAL
Door Frame Color: Black RAL 9004
Door Frame: Non-Rebated
Architraves: STANDARD Type B – 90°
Handle: Lila 03 Black

Collection LUPO

inner wings

A.5




Color: 01 Speckled

A.6



Color: Black RAL 9004

A.7



Color: 03 Cappuccino

A.8



Door Leaf Color: Khaki Green RAL 6003, Door Frame Color: Black RAL 9004

Presented Configurations

Finish: Straight Oak
Door Frame: Non-Rebated
Architraves: STANDARD Type B – 90°
Handle: Lila 03 Black

Available Finishes

Straight Oak | Crown-Cut Oak | Textured RAL | Smooth RAL

Optional Features

- Width "100"
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95



Model: Lupo B.4
Finish: Textured RAL
Color: Black RAL 9004
Door Frame: Non-Rebated
Glass Insert: Mirror
Architraves: STANDARD Type B – 90°
Handle: Pina 03 Black
Double-Sided Model

PLN 2 570

Collection LUPO

inner wings

B.1



B.2



B.5



B.4



Presented Configurations

Finish: Crown-Cut Oak
Color: 02 Natural Oak
Door Frame: Non-Rebated
Glass Insert: Black
Architraves: STANDARD Type B – 90°
Handle: Pina 03 Black
Double-Sided Models

Available Finishes



Straight Oak | Crown-Cut Oak | Textured RAL | Smooth RAL

For LUPO Series B models, a single-sided insert can be selected, or different insert types can be combined—for example, a mirror on one side and black glass on the other.

Optional Features

- Width “100” — Standard
- Black Glass Insert — Standard
- Single-Sided Mirror (B.4) — Standard
- Ventilation Undercut — Standard
- Door Leaf Shortening — Standard
- Door Frame Shortening — Standard
- Drop Seal — Standard

- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95

Model: Lupo C.1
Finish: Textured RAL
Door Leaf Color: Black RAL 9004
Door Frame Color: Neutral White RAL 9016
Door Frame: Non-Rebated
Architraves: WERONA II Decorative Package
Type A – 45°
Trim: 01 Chrome
Handle: Azalia 01 Chrome
Double-Sided Model



Metal Trim
01 Chrome

Metal Trim
02 Satin Chrome



Metal Trim
03 Black



Metal Trim
04 Gold

Collection LUPO

inner wings

C.1



Color: Khaki Green RAL 6003, Handle: Lila 03 Black

C.2



Color: Black RAL 9004, Handle: Azalia 02 Satin Chrome

C.3



Color: Stone Grey RAL 7030, Handle: Pina 01 Satin Chrome

C.4



Color: Pacific Blue RAL 5008, Handle: Pyrola 04 Gold

Presented Configurations

Finish: Textured RAL
Door Frame: Non-Rebated
Architraves: STANDARD Type A – 45°
Double-Sided Models

Available Finishes



Straight Oak | Crown-Cut Oak | Textured RAL | Smooth RAL

Optional Features

- Width “100”
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95



Model: Lupo D.2
Finish: Smooth RAL
Color: Cashmere NCS S 2005 Y50R
Door Frame: Non-Rebated
Glass Insert: Black
Architraves: STANDARD Type A – 45°
Handle: Kalmia 03 Black
Double-Sided Model

Collection LUPO

inner wings

D.1



NEW

D.2



Glass Insert: Black

NEW

D.3



NEW

D.4

NEW



Glass Insert: Black

Presented Configurations

Finish: Smooth RAL
Color: Cashmere NCS S 2005 Y50R
Door Frame: Non-Rebated
Architraves: STANDARD Type B – 90°
Handle: Telesta 12
Textured Black & Satin Chrome
Double-Sided Models

Available Finishes



Straight Oak | Textured RAL | Smooth RAL


Optional Features

- Width “100”
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

Collection
BARCELONA


The BARCELONA collection is defined by minimalist, contemporary design. Its clean, visually light forms reflect the principle that less is more. The models in this collection are designed without glazing and are distinguished by subtle routed details arranged in original, eye-catching patterns.


Available Finishes



Textured RAL


Smooth RAL






1. HDF Facing Board
2. Solid Pine Timber Frame
3. Tubular Particleboard Core






Hinged – Rebated and Non-Rebated


Reverse-Opening Hinged




Classic Wall-Mounted Sliding



Loft Wood Wall-Mounted Sliding




Pocket Sliding




Widths: 60–100 cm



Widths: 120–180 cm



Heights: 207–250 cm




Can Be Shortened by 2, 4, 6, or 8 cm

* The door width can be reduced by 2 cm to fit a narrower wall opening.

Collection
BARCELONA

inner wings

A.13




A.15



A.11



A.12



Presented Configurations

Finish: Smooth RAL
Color: Neutral White RAL 9016
Door Frame: Non-Rebated
Architraves: STANDARD Type A – 45°
Handle: Kalmia 03 Black

Available Finishes



Textured RAL

Smooth RAL


Optional Features

- Width “100”
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95

Collection
BARCELONA

B.5 B.23 B.8 B.9



Presented Configurations

Finish: Smooth RAL
Color: Neutral White RAL 9016
Door Frame: Non-Rebated
Glass: Milky (B.23)
Architraves: STANDARD Type B – 90°
Handle: Lila 03 Black

Available Finishes

Textured RAL

Smooth RAL

Collection
BARCELONA

inner wings


B.2



B.6



B.21



B.22



Presented Configurations

Finish: Smooth RAL
Color: Milky Grey RAL 7047
Door Frame: Non-Rebated
Architraves: STANDARD Type B – 90°
Handle: Azalia 02 Satin Chrome

Available Finishes



Textured RAL

Smooth RAL

Optional Features

- Width “100”
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95


Collection FOCUS

The FOCUS collection is distinguished by its unique combination of wood and glass, making it easy to find the perfect model for virtually any interior. FOCUS doors are especially well suited to Scandinavian and contemporary living spaces.


Available Finishes:



Straight Oak | Crown-Cut Oak | Textured RAL | Smooth RAL




Architrave: STANDARD
Architrave Joint: Type B – 90°




1. 8 mm VSG Safety Glass
2. HDF Facing Board
3. Solid Pine Timber Frame

Model: Focus A.16
Finish: Textured RAL
Color: Stone Grey RAL 7030
Door Frame: Non-Rebated
Glass: 8 mm Black VSG Safety Glass
Architraves: STANDARD Type B – 90°
Handle: Pina 03 Black




Hinged – Rebated and Non-Rebated




Reverse-Opening Hinged




Widths: 60–100 cm



Widths: 120–180 cm



Heights: 207–250 cm



Can Be Shortened by 2, 4, 6, or 8 cm

Collection FOCUS

inner wings

A.1



A.7



A.5



A.16



Presented Configurations

Finish: Crown-Cut Oak
Color: 08 Light Brown
Door Frame: Non-Rebated
Glass: 8 mm Milky VSG Safety Glass
Architraves: STANDARD Type B – 90°
Handle: Pina 03 Black

Available Finishes



Straight Oak | Crown-Cut Oak | Textured RAL | Smooth RAL

Available Glass Colors:

Clear, Milky, Smoked Graphite, Black

Optional Features

- Width “100”
- Black or Smoked Graphite Glass (A.1) (A.5), (A.16)
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening


linia LAGO


The LAGO collection is designed for those who appreciate distinctive, designer interiors. Defined by clean lines and striking geometric forms, LAGO doors give every space a unique personality and a truly individual atmosphere.

Available Finishes:




Straight Oak | Textured RAL | Smooth RAL (LAGO A Only)





1. 6 mm VSG Safety Glass
2. HDF Facing Board
3. Decorative Frame
4. Solid Pine Timber FrameSolid




Hinged – Rebated and Non-Rebated | Reverse-Opening Hinged | Classic Wall-Mounted Sliding | Loft Wood Wall-Mounted Sliding | Pocket Sliding | Widths: 60–100 cm | Widths: 120–180 cm | Heights: 207–250 cm | Can Be Shortened by 2, 4, 6, or 8 cm

Collection LAGO

inner wings

A.1



Architrave: WERONA I Decorative Package, Type B – 90°

A.2



Architrave: WERONA II Decorative Package, Type A – 45°

A.4



Architraves: STANDARD Type A – 45°, Decorative Glass Design: Double Frame

Presented Configurations

Finish: Textured RAL
Color: Neutral White RAL 9016
Door Frame: Non-Rebated
Glass: 6 mm Milky VSG Safety Glass
Handle: Raflesia 02 Satin Chrome

Available Finishes



Straight Oak | Textured RAL | Smooth RAL

Available Glass Colors:

Clear, Milky, Smoked Graphite, Black, Beveled Decormat, and Beveled Clear

Optional Features

- Width “100”
- Black or Smoked Graphite Glass (A.4)
- Beveled or Engraved Glass (A.4)
- Single-Sided Sandblasted Design (A.4)
- Single-Sided Mirror (A.1)
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

A.1



Architraves: STANDARD Type B – 90°, Handle: Pina 03 Black



Model: Lago B.1
Finish: Textured RAL
Color: Neutral White RAL 9016
Door Frame: Non-Rebated
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD Type A – 45°
Handle: Customer-Supplied

Collection LAGO

inner wings

B.1



B.2



B.6



B.3



Presented Configurations

Finish: Straight Oak
Color: 03 Cappuccino
Door Frame: Non-Rebated
Glass: 6 mm Milky VSG Safety Glass
Handle: Raflesia 02 Satin Chrome

Available Finishes



Straight Oak



Textured RAL

Available Glass Colors

Clear, Milky, Black, Beveled Decormat, and Beveled Clear

Optional Features


- Width "100"
- Black or Smoked Graphite Glass (B.1), (B.2), (B.5)
- Beveled or Engraved Glass (B.6)
- Single-Sided Sandblasted Design (B.6)
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95

Collection LEPRE


The LEPRE collection is distinguished by the striking form of its decorative trim, designed to resemble a series of steps. This distinctive detail gives the doors added depth and an original three-dimensional appearance, making them an ideal choice for elegant interiors.


Available Finishes




Textured RAL

Smooth RAL







1. 6 mm VSG Safety Glass
2. HDF Facing Board
3. Decorative Frame
4. Solid Pine Timber Frame




Hinged – Rebated and Non-Rebated




Reverse-Opening Hinged




Classic Wall-Mounted Sliding



Loft Wood Wall-Mounted Sliding




Pocket Sliding




Widths: 60–100 cm



Widths: 120–180 cm



Heights: 207–250 cm



Can Be Shortened by 2, 4, 6, or 8 cm

Collection LEPRE

inner wings

A.1



A.2



A.7



Presented Configurations

Finish: Smooth RAL
Color: Khaki Green RAL 6003
Door Frame: Non-Rebated
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD Type B – 90°
Handle: Reflesia 03 Black

Available Finishes

Textured RAL

Smooth RAL

Available Glass Colors:

Clear, Milky, Smoked Graphite, Black, Beveled Decormat, and Beveled Clear

Optional Features

- Width “100”
- Black or Smoked Graphite Glass (A.5)
- Beveled or Engraved Glass (A.5)
- Single-Sided Sandblasted Design (A.5)
- Single-Sided Mirror (A.2)
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

A.2



Door Frame: Rebated, Handle: Azalia 03 Black

Collection MERKURY


The MERKURY collection is the most elegant interior door offering in the Barański Premium range. Perfectly suited to colonial and Art Deco interiors, these doors are distinguished by stately decorative trim surrounding the door leaf frame.

Available Finishes



Straight Oak | Textured RAL | Smooth RAL







1. 6 mm VSG Safety Glass
2. HDF Facing Board
3. Decorative Frame
4. Solid Pine Timber Frame




Model: Merkury A.1
Finish: Straight Oak
Color: 08 Light Brown
Door Frame: Non-Rebated
Architraves: WERONA I Decorative Package
Type B – 90°
Handle: Vento 07 Antique Brass




Hinged – Rebated and Non-Rebated




Loft Wood Wall-Mounted Sliding




Widths: 60–100 cm



Widths: 120–180 cm



Heights: 207–250 cm



Can Be Shortened by 2, 4, 6, or 8 cm

Collection MERKURY

inner wings

A.1



Door Frame: Rebated, Architraves: STANDARD Type A – 45°

A.2



Glass: 6 mm Milky VSG Safety Glass, Decorative Glass Design: Single Frame

A.3



Glass: 6 mm Standard Non-Tempered Beveled Clear Glass

A.4



Presented Configurations

Finish: Straight Oak
Color: 01 Speckled
Door Frame: Non-Rebated
Architraves: WERONA I Decorative Package Type B – 90°
Handle: Vento 07 Antique Brass

Available Finishes



Straight Oak | Textured RAL | Smooth RAL

Available Glass Colors

Clear, Milky, Smoked Graphite, Beveled Decormat, Beveled Decormat, and Beveled Clear

Optional Features

- Width “100”
- Black or Smoked Graphite Glass (A.2), (A.3)
- Beveled Glass (A.3), (A.2)
- Engraved Glass (A.2)
- Single-Sided Sandblasted Design (A.2)
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

Collection WENUS


The WENUS collection was created for glamorous interiors. Inspired by the elegance of 1930s America, these doors bring a sense of sophistication, charm, and timeless luxury to any space. They pair beautifully with silver- and gold-finished handles.

Available Finishes




Straight Oak | Textured RAL | Smooth RAL







1. 6 mm VSG Safety Glass
2. 19 mm MDF Board
3. Decorative Frame
4. Solid Pine Timber Frame



Hinged – Rebated and Non-Rebated




Loft Wood Wall-Mounted Sliding




Widths: 60–100 cm



Widths: 120–180 cm



Heights: 207–250 cm



Can Be Shortened by 2, 4, 6, or 8 cm

Collection WENUS

inner wings

A.0



Decorative Package: PRESTIGE P4S Type B – 90° with Plinth Blocks and Crown Molding

A.2



Architrave: RETRO Plus Type A – 45°

D.0



Architrave: RETRO Plus Type A – 45°

C.0



Architrave: RETRO Plus Type A – 45°, Handle: Kalmia 01 Chrome

Presented Configurations

Finish: Textured RAL
Color: Neutral White RAL 9016
Door Frame: Rebated
Glass: 6 mm Milky VSG Safety Glass
Handle: Azalia 02 Satin Chrome

Available Finishes

Straight Oak | Textured RAL | Smooth RAL

Available Glass Colors

Clear, Milky, Black, Smoked Graphite, Beveled Decormat, Beveled Decormat, and Beveled Clear

Optional Features

- Width “100”
- Beveled Glass (A.2)
- Black or Smoked Graphite Glass (A.2)
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal



Model: Wenus B.0
Finish: Straight Oak
Color: 09 Brown
Door Frame: Non-Rebated
Architraves: WERONA II Decorative Package
Type A – 45°
Handle: London Short Brass
17 Polished Nickel

Collection WENUS

inner wings

B.0



Decorative Package: PRESTIGE P4S Type B – 90° with Plinth Blocks and Crown Molding

B.2



Glass: 6 mm Milky VSG Safety Glass, Architrave: RETRO Plus Type A – 45°

C.0



Architrave: RETRO Plus Type A – 45°

C.2



Glass: 6 mm Standard Non-Tempered Beveled Clear Glass, Architrave: RETRO Plus Type A – 45°

Presented Configurations

Finish: Textured RAL
Color: Neutral White RAL 9016
Door Frame: Rebated
Handle: Azalia 02 Satin Chrome

Available Finishes



Straight Oak | Textured RAL | Smooth RAL

Available Glass Colors:

Clear, Milky, Smoked Graphite, Beveled Decormat, Beveled Decormat

Optional Features

- Width "100"
- Black or Smoked Graphite Glass (B.2), (C.2)
- Beveled or Engraved Glass (B.2), (C.2),
- Single-Sided Sandblasted Design (B.1), (C.2)
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal


- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95


Collection MAGNAT

The MAGNAT collection features classic, elegant, and distinctive doors that are perfectly suited to manor-inspired interiors. Their refined appearance is enhanced by an innovative finish, with applied decorative molding serving as the defining design element.

Available Finishes


Smoot
h RAL








1. HDF Facing Board
2. Decorative Frame
3. Solid Pine Timber Frame
4. Tubular Particleboard Core


Model: Magnat A.6
Finish: Smooth RAL
Color: Stone Grey RAL 7030
Door Frame: Non-Rebated
Architraves: STANDARD Type A – 45°
Handle: Dalia 03 Black



Hinged – Rebated and Non-Rebated


Reverse-Opening Hinged



Classic Wall-Mounted Sliding



Loft Wood Wall-Mounted Sliding


Pocket Sliding


Widths: 60–100 cm


Widths: 120–180 cm


Heights: 207–250 cm


Can Be Shortened by 2, 4, 6, or 8 cm

Collection MAGNAT

inner wings

A.1



A.2



A.3



A.5



Presented Configurations

Finish: Smooth RAL
Color: Stone Grey RAL 7030
Door Frame: Non-Rebated
Architraves: STANDARD Type A – 45°
Handle: Dalia 03 Black

Available Finish

Smooth RAL

Optional Features

- Width “100”
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95


Collection SEVILLA

The SEVILLA collection is built around a minimalist door leaf design. This is reflected in the clean panel profiles and their seamless integration with the door frame, which is free of decorative molding. The result is a modern, refined, and visually lightweight appearance.

Available Finishes




Straight Oak | Textured RAL





1. 1. 6 mm VSG Safety Glass
2. HDF Facing Board
3. Solid Pine Timber Frame





Hinged – Rebated and Non-Rebated | Reverse-Opening Hinged | Classic Wall-Mounted Sliding | Loft Wood Wall-Mounted Sliding | Pocket Sliding | Widths: 60–100 cm | Widths: 120–180 cm | Heights: 207–250 cm | Can Be Shortened by 2, 4, 6, or 8 cm

Collection **SEVILLA**

inner wings

A.1



A.2



A.3



A.4



Presented Configurations

Finish: Straight Oak
Color: 05 Golden Oak
Door Frame: Non-Rebated
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD Type B – 90°
Handle: Kalmia 03 Black

Available Finishes



Straight Oak



Textured RAL

Dostępne kolory szkła

Clear, Milky, Smoked Graphite, Black

Optional Features

- Width “100”
- Black or Smoked Graphite Glass (A.3)
- Single-Sided Sandblasted Design (A.3)
- Single-Sided Mirror (A.1)
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95



Model: Sevilla B.2
Finish: Straight Oak
Color: 02 Natural Oak
Door Frame: Non-Rebated
Glass: 6 mm Black VSG Safety Glass
Architraves: STANDARD Type B – 90°
Handle: Pina 03 Black

Collection **SEVILLA**

inner wings

B.1 B.2 C.1 D.1



Presented Configurations

Finish: Straight Oak
Color: 02 Natural Oak
Door Frame: Non-Rebated
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD Type B – 90°
Handle: Pina 03 Black

Available Finishes



Straight Oak | Textured RAL

Available Glass Colors:

Clear, Milky, Smoked Graphite, Black

Optional Features

- Width "100"
- Black or Smoked Graphite Glass (B.2)
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95

Collection VENETO

The VENETO collection is a timeless classic. Its design is based on horizontal panels separated by glass inserts. Rails of varying widths, a choice of milky, black, or smoked graphite glass, and a wide range of color options make it possible to create unique configurations. VENETO doors are equally well suited to elegant and contemporary interiors.

Available Finishes




Straight Oak | Textured RAL





1. 6 mm VSG Safety Glass
2. HDF Facing Board
3. Solid Pine Timber Frame



Hinged – Rebated and Non-Rebated | Reverse-Opening Hinged | Classic Wall-Mounted Sliding | Loft Wood Wall-Mounted Sliding | Pocket Sliding | Widths: 60–100 cm | Widths: 120–180 cm | Heights: 207–250 cm | Can Be Shortened by 2, 4, 6, or 8 cm

Collection VENETO

inner wings

A.1



A.4



A.6



A.7



Presented Configurations

Finish: Straight Oak
Color: 03 Cappuccino
Door Frame: Non-Rebated
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD Type B – 90°
Handle: Reflesia 03 Black

Available Finishes



Straight Oak | Textured RAL

Available Glass Colors:

Clear, Milky, Smoked Graphite, Black

Optional Features

- Width "100"
- Black or Smoked Graphite Glass (A.1), (A.4),(A.6)
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95


Collection MALAGA


The MALAGA collection offers a contemporary interpretation of classic design. Traditional elegance, combined with glass and translucent stain finishes, creates a distinctive visual effect. MALAGA models are characterized by the clean, straight termination of the door leaf frame, giving them a distinctly modernist appearance.

Available Finishes




Straight Oak | Textured RAL






1. 6 mm VSG Safety Glass
2. HDF Facing Board
3. Solid Pine Timber Frame


Model: Malaga A.2
Finish: Straight Oak
Color: 01 Speckled
Door Frame: Non-Rebated
Glass: 6 mm Clear VSG Safety Glass
Architraves: P4 Type A – 45°
Handle: Dalia 03 Black




Hinged – Rebated and Non-Rebated




Reverse-Opening Hinged




Classic Wall-Mounted Sliding



Loft Wood Wall-Mounted Sliding




Pocket Sliding




Widths: 60–100 cm



Widths: 120–180 cm



Heights: 207–250 cm



Can Be Shortened by 2, 4, 6, or 8 cm

Collection MALAGA

inner wings

A.1



Glass: 6 mm Standard Non-Tempered Clear Engraved Grid Glass

A.2



Glass: 6 mm Standard Non-Tempered Beveled Decormat Glass

A.4



Glass: 6 mm Clear VSG Safety Glass

A.14



Glass: 6 mm Milky VSG Safety Glass, Decorative Glass Design: Single Frame

Presented Configurations

Finish: Straight Oak
Color: 08 Light Brown
Door Frame: Non-Rebated
Architraves: STANDARD Type A – 45°
Handle: Dalia 02 Satin Chrome

Available Finishes



Straight Oak | Textured RAL

Available Glass Colors:

Clear, Milky, Smoked Graphite, Beveled Decormat, Black, Beveled Decormat, and Beveled Clear


Optional Features

- Width “100”
- Black or Smoked Graphite Glass (A.1), (A.2)(A.4), (A.14)
- Beveled Glass (A.1), (A.2), (A.4), (A.14)
- Engraved Glass (A.1),(A.14)
- Single-Sided Sandblasted Design (A.1), (A.14)
- Ventilation Undercut
- Door Leaf Shortening
-

- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95

Collection
MALAGA

A.5



A.6



A.7



A.8



Presented Configurations

Finish: Straight Oak
Color: 06 Calvados
Door Frame: Rebated
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD Type A – 45°
Handle: Azalia 02 Satin Chrome

Available Finishes



Straight Oak



Textured RAL

Available Glass Colors

Clear, Milky, Smoked Graphite, Beveled Decormat, Black

Optional Features

- Black or Smoked Graphite Glass (A.7)
- Beveled Glass (A.7)
- Single-Sided Sandblasted Design (A.7)

Collection MALAGA

inner wings

A.9



A.13



Decorative Glass Design: Single Frame

A.11



A.12



Decorative Glass Design: Single Frame

Presented Configurations

Finish: Straight Oak
Color: 05 Golden Oak
Door Frame: Rebated
Glass: 6 mm Milky VSG Safety Glass
Architraves: STANDARD Type A – 45°
Handle: Raflesia 05 Matt Gold

Available Finishes



Straight Oak



Textured RAL

Available Glass Colors

Clear, Milky, Smoked Graphite, Beveled Decormat, Black, Beveled Decormat, and Beveled Clear

Optional Features

- Width “100”
- Black or Smoked Graphite Glass (A.13), (A.12)
- Beveled Glass + PLN 600 (A.13), (A.12)
- Single-Sided Sandblasted Design (A.13), (A.12)
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95


Collection WENECJA

The WENECJA collection embodies tradition and folk-inspired design. Its models are ideally suited to rustic and Provençal interiors dominated by the warm, natural tones of real wood. They pair beautifully with whitewashed brick and oak flooring. A decorative molding surrounding the door leaf frame gives the doors a character that is both raw and refined.


Available Finishes




Straight Oak



Architrave Joint: Type A – 45°



1. 6 mm VSG Safety Glass
2. HDF Facing Board
3. Solid Pine Timber Frame



Hinged – Rebated and Non-Rebated | Reverse-Opening Hinged | Classic Wall-Mounted Sliding | Loft Wood Wall-Mounted Sliding | Pocket Sliding | Widths: 60–100 cm | Widths: 120–180 cm | Heights: 207–250 cm | Can Be Shortened by 2, 4, 6, or 8 cm

* The door width can be reduced by 2 cm to fit a narrower wall opening.

Collection WENECJA

inner wings

42



43



44



45



Presented Configurations

Finish: Straight Oak
Color: 08 Light Brown
Glass: 6 mm Milky VSG Safety Glass
Door Frame: Rebated
Architraves: STANDARD Type A – 45°
Handle: Azalia 01 Chrome

Available Finishes



Straight Oak

Available Glass Colors:

Clear, Milky, Smoked Graphite, Beveled Decormat, Beveled Decormat, and Beveled Clear

Optional Features

- Width "100"
- Beveled Glass (47), (44), (45)
- Ventilation Undercut
- Door Leaf Shortening
- Door Frame Shortening
- Drop Seal

- Finishes & Colors pp. 68-71
- Sliding Systems pp. 72-77
- Door Frames pp. 80-84
- Sidelights pp. 86-91
- Decorative Elements pp. 92-93
- Handles & Accessories pp. 94-95


Collection GLASS

The GLASS collection is an ideal choice for intimate loft-style interiors and hallways. The minimalist design visually opens up the space and allows more light into the room while maintaining acoustic comfort.

Available Finishes:





Straight Oak | Crown-Cut Oak | Textured RAL | Smooth RAL



1. Door Leaf Made from a Single 8 mm Tempered Glass Panel with Hinges and Lock
2. Adjustable Door Frame







Hinged – Rebated and Non-Rebated | Loft Wood Wall-Mounted Sliding | Widths: 60–100 cm | Widths: 120–180 cm | Can Be Shortened by 2, 4, 6, or 8 cm

Collection GLASS

inner wings

01



09



03



04



Presented Configurations

Door Frame Finish: Textured RAL
Door Frame Color: Black RAL 9004
Door Frame: Rebated
Glass: 8 mm Clear Tempered Glass with a Black Painted Glass Design
Architraves: STANDARD Type B – 45°
Handle: ARCOS Black

Available Finishes



Straight Oak | Crown-Cut Oak | Textured RAL | Smooth RAL

Optional Features

- Width "100"
- Smoked Graphite or Decormat Glass
- Ventilation Undercut in the Glass
- Door Frame Shortening
- Double-Sided Painted Glass Design
- Additional Charge for a Cylinder for the WK Lock

DORMA Hardware Sets for Single-Leaf Doors: Lock, Handle, and Hinges

	RONDO		ARCOS	
	OSZ/WK	WC	OSZ/WK	WC
Silver Anodized	+ PLN 630	+ PLN 800	+ PLN 840	+ PLN 1030
Black		+ PLN 1050	+ PLN 1090	+ PLN 1280

DORMA Hardware Sets for the Inactive Leaf in Double-Leaf Configurations: Strike Plate, Hinges, and Bolts

Silver Anodized	+ PLN 1800	+ PLN 1900
Black	+ PLN 1800	+ PLN 2300

The amounts shown are net prices and do not include VAT. The prices apply to the standard door leaf with clear glass and do not include the door frame, accessories, or handles.



Model: Glass 02
Door Frame Finish: Textured RAL
Door Frame Color: Black RAL 9004
Door Frame: Rebated
Glass: 8 mm Clear Tempered Glass
with a Single-Sided Black Painted Glass Design
Architraves: STANDARD Type B – 90°
Handle: ARCOS Non-Locking Latch (OSZ), Black
Flush Bolts: On the Inactive Leaf (Top and Bottom)
Meeting Stile: Without Seal, 3 mm Gap

Collection GLASS

inner wings

05



11



NEW

12



NEW

Presented Configurations

Door Frame Finish: Textured RAL
Door Frame Color: Black RAL 9004
Door Frame: Rebated
Glass: 8 mm Clear Tempered Glass
with a Single-Sided Black Painted Glass Design
Architraves: STANDARD Type B – 45°
Handle: RONDO Non-Locking Latch (OSZ), Black

Available Finishes



Straight Oak | Crown-Cut Oak | Textured RAL | Smooth RAL

Optional Features

- Width "100"
- Smoked Graphite or Decormat Glass
- Ventilation Undercut in the Glass
- Door Frame Shortening
- Double-Sided Painted Glass Design
- Additional Charge for a Cylinder for the WK Lock

DORMA Hardware Sets for Single-Leaf Doors: Lock, Handle, and Hinges

	RONDO		ARCOS	
	OSZ/WK	WC	OSZ/WK	WC
Silver Anodized	+ PLN 630	+ PLN 800	+ PLN 840	+ PLN 1030
Black		+ PLN 1050	+ PLN 1090	+ PLN 1280

DORMA Hardware Sets for the Inactive Leaf in Double-Leaf Configurations: Strike Plate, Hinges, and Flush Bolts

Silver Anodized	+ PLN 1800	+ PLN 1900
Black	+ PLN 1800	+ PLN 2300

The amounts shown are net prices and do not include VAT. The prices apply to the standard door leaf with clear glass and do not include the door frame, accessories, or handles.

types of **FINISH**

Straight Oak

The doors are finished with oak veneer featuring a relatively straight grain pattern and natural texture. The beauty of nature is revealed through genuine wood

Crown-Cut Oak

This finish uses a special oak veneer with a distinctive cathedral grain pattern. It looks especially striking when paired with lighter colors, such as Natural Oak.

Textured RAL

This finish allows selected solid RAL colors to be applied while preserving the natural wood grain texture. The doors are finished with ash veneer.


Smooth RAL

As the name suggests, this finish allows selected solid RAL colors to be applied while achieving a perfectly smooth door surface. The doors are finished with HDF and MDF boards.










coors of
WOOD STAIN

Straight Oak & Crown-Cut Oak

01 Speckled | 02 Natural Oak | 03 Cappuccino | 04 Grey | 05 Golden Oak | 06 Calvados | 08 Light Brown | 09 Brown





Model: Baron A.5
Finish: Smooth RAL
Color: Neutral White RAL 9016
Door Frame: Non-Rebated
Architraves: STANDARD Type A – 45°
Handle: Kalmia 04 Gold

colors of **RAL**

Textured RAL

Smooth RAL

ANY COLOR

Other RAL Colors Availablelub NCS
(po or NCS Colors, Subject to Manufacturer Approval


- Non-Standard RAL Color for the Door Leaf
- Non-Standard RAL Color for the Door Frame
- Two-Color Door Leaf Finish
- Two-Color Door Frame Finish


Neutral White *RAL 9016*	Scandinavian White *RAL 9003*	Milky Grey *RAL 7047*	Stone Grey *RAL 7030*	NEW Cashmere NCS S 2005 Y50R	Khaki Green *RAL 6003*	Pacific Blue *RAL 5008*	Black *RAL 9004*
Textured RAL	*Textured RAL*	*Textured RAL*	*Textured RAL*	*Textured RAL*	*Textured RAL*	*Textured RAL*	*Textured RAL*
Smooth RAL	*Smooth RAL*	*Smooth RAL*	*Smooth RAL*	*Smooth RAL*	*Smooth RAL*	*Smooth RAL*	*Ultra-Matt Black* NEW *Smooth RAL*

SLIDING DOOR SYSTEMS
CLASSIC

Wall-Mounted








The Set Includes:

1. Door Leaf
2. Passage Door Frame (Optional) — p. 69
3. Track Cover with Sliding System, Single-Leaf/Double-Leaf,
4. Accessories — str. 90
5. Door Jamb Post for Single-Leaf Doors
6. Spacer Strip — Included






Pocket








The Set Includes:


1. Door Leaf
2. Door Frame Components, Single-Leaf/Double-Leaf
3. ECLISSE PLUS 100 or 125 mm Pocket Frame System, Single-Leaf/Double-Leaf
4. Component Extensions for the Pocket Sliding System, — p. 705
5. Opening Synchronizer for Double-Leaf Doors6 Closing Soft-Close
6. Mechanism, Single-Leaf/Double-Leaf

SLIDING DOOR SYSTEMS
CLASSIC

Wall-Mounted



Pocket



Passage Door Frame for Wall-Mounted Sliding Doors

Adjustment Range		Net Price	
Code	Wall Thikness (mm)	Single-Leaf	Double-Leaf
A	75-85	1360	1630
B	85-100	1380	1650
C	100-120	1400	1670
D	120-140	1420	1690
E	140-160	1440	1710
F	160-180	1460	1730
G	180-200	1480	1750
H	200-220	1500	1770
I	220-240	1520	1790
J	240-260	1540	1810
K	260-280	1560	1830
L	280-300	1580	1850
M	300-320	1600	1870
N	320-340	1620	1890
O	340-360	1640	1910
P	360-380	1660	1930
R	380-400	1680	1950
S	400-420	1700	1970
T	420-440	1720	1990
U	440-460	1740	2010
V	460-480	1760	2030
W	480-500	1780	2050

Wall-Mounted System

Single-Leaf Door Width		Ss	Sp	Sz	So	Sc	Sm
S1	„60"	644	602	658	680	786	1380
S2	„70"	744	702	758	780	886	1580
S3	„80"	844	802	858	880	986	1780
S4	„90"	944	902	958	980	1086	1980
S5	„100"	1044	1002	1058	1080	1186	2180

Door Height	Hs	Hp	Hz	Ho	Hc	Hm
H1	2050	2035	2063	2080	2127	2157
H2	2090	2075	2103	2120	2167	2197
H3	2140	2125	2153	2170	2217	2247
H4	2190	2175	2203	2220	2267	2297
H5	2240	2225	2253	2270	2317	2347
H6	2290	2275	2303	2320	2367	2397
H7	2340	2325	2353	2370	2417	2447
H8	2390	2375	2403	2420	2467	2497
H9	2440	2425	2453	2470	2517	2547
H10	2490	2475	2503	2520	2567	2597

Double-Leaf Door Width		Ss-A	Ss-P	Sp	Sz	So	Sc	Lm
S6	„120"	644	644	1237	1293	1330	1421	2570
S8	„140"	744	744	1437	1493	1530	1621	2970
S10	„160"	844	844	1637	1693	1730	1821	3370
S12	„180"	944	944	1837	1893	1930	2021	3770

Legend:

Ss	Door Leaf Width in mm
Ss-A	Active Leaf Width in mm, Double-Leaf Version
Ss-P	Inactive Leaf Width in mm, Double-Leaf Version
Sp	Clear Opening Width of the Door Frame in mm
Sz	Overall Door Frame Width in mm
So	Wall Opening Width for the Door Frame in mm
Sc	Overall Door Frame Width, Including Architraves, in mm
Hs	Door Leaf Height in mm
Hp	Clear Opening Height of the Door Frame in mm
Hz	Overall Door Frame Height in mm
Ho	Wall Opening Height for the Door Frame in mm
Hc	Overall Door Frame Height, Including Architraves, in mm
Lm	Track Cover Length in mm
Hm	Track Cover Length in mm

The drawing and dimensional tables for the wall-mounted system show a passage door frame based on the non-rebated adjustable door frame. A passage door frame based on the rebated adjustable door frame is also available; see the cross-section and dimensions on p. 77.

Pocket Sliding System

S-L	Ss	Sp	Sz	Sc*
S1	60	605	665	779
S2	70	705	765	879
S3	80	805	865	979
S4	90	905	965	1079
S5	100	1005	1065	1179

D-L	Ss	Sp	Sz	Sc*
S1	60	1215	1285	1389
S2	70	1415	1485	1589
S3	80	1615	1685	1789
S4	90	1815	1885	1989
S5	100	2015	2085	2189

* Sc + 14 mm When Extension C, D, E, or F Is Used

	Hs	Hp	Hz	Hc*
H1	2037	2025	2075	2130

* Hc + 7 mm When Extension C, D, E, or F Is Used

Single Panel



Range:
- A–J (Straight Oak, Crown-Cut Oak, Textured RAL)
- A–N (Smooth RAL)

Double Panel



Range:
- K–W (Straight Oak, Crown-Cut Oak, Textured RAL)
- O–W (Smooth RAL)

Optional Features

- Non-Standard Door Dimensions, Non-Standard RAL Color p. 81
- Passage Door Frame Priced According to the DFPL
- Track Cover and Door Jamb Post
- Door Frame Components


SLIDING DOOR SYSTEMS
CLASSIC

DOOR FRAME COMPONENT EXTENSIONS FOR THE POCKET SLIDING SYSTEM

ECLISSE PLUS Pocket Frame System G = 100, 125


* Adjustable Architrave Tongues to Be Individually Trimmed to Match the Wall Thickness

Standard




Adjustment Range	
Code	Wall Thikness (mm)
A	100

Single-Sided Extension




Adjustment Range	
Code	x (mm)
B	0-30




Adjustment Range	
Code	x (mm)
C	30-40
D	40-60
E	60-80
F	80-100


Double-Sided Extension



Adjustment Range			
One Side (×1)		Both Sides (×2)	
Code	(mm)	Code	(mm)
B	0-30	**B**	0-30



Adjustment Range			
One Side (×1)		Both Sides (×2)	
Code	(mm)	Code	(mm)
B	0-30	**C**	30-40
B	0-30	**D**	40-60
B	0-30	**E**	60-80
B	0-30	**F**	80-100




Adjustment Range			
One Side (×1)		Both Sides (×2)	
Code	(mm)	Code	(mm)
C	30-40	**C**	30-40
C	30-40	**D**	40-60
C	30-40	**E**	60-80
C	30-40	**F**	80-100
D	40-60	**D**	40-60
D	40-60	**E**	60-80
D	40-60	**F**	80-100
E	60-80	**E**	60-80
E	60-80	**F**	80-100
F	80-100	**F**	80-100

BEFORE YOU BUY YOUR DOORS


HINGED SYSTEM – A classic door-opening system in which the door leaf is mounted in the door frame with hinges. This system requires the opening direction to be specified correctly. When glass with a single-sided sandblasted design is used, the interior or exterior side of the sandblasted design must also be specified.

SLIDING SYSTEM – A hingeless system designed for interiors where usable space is limited. The door opens by sliding the door leaf along the wall. This system does not require an opening direction to be specified.


Determining the Door Opening Direction



Wall-Mounted – In this system, the door leaf slides along the wall, so installation requires less preparatory work and a lower investment than a pocket system (p. 48).



Pocket – The door leaf slides into a previously prepared supporting structure within a drywall or plastered wall (p. 50).



Determining the Door Leaf Side

Applies to door leaves with a two-color finish, beveled glass, or different glass design arrangements on each side.


W - INTERIOR Side
Z - EXTERIOR Side

	HINGED	SLIDING
W	Clear Opening Side of the Door Frame	Opposite the Opening Side
Z	Fixed Architrave Side	Opening Side


loft
SLIDING SYSTEMS

Glass





The Set Includes:





1. Door Leaf
2. Single-Leaf System with Two Soft-Close Mechanisms for Closing and Opening
3. Accessories

p. 90


The Loft Glass system is designed exclusively for single-leaf doors from the GLASS collection.

Wood





The Set Includes:



1. Door Leaf
2. Single-Leaf/Double-Leaf System with One Soft-Close Mechanism
3. Accessories,

p. 90


The Loft Wood system is available for all door collections except FOCUS, MERKURY, and GLASS.
The Loft Wood system is available for both single-leaf and double-leaf doors.

loft

SLIDING SYSTEMS

Glass Black

Closed



System Components


1. Sliding Track
2. Mounting Brackets
3. Adjustable Door Clamps
4. Stops
5. Floor Guide
6. Two Soft-Close Mechanisms for Closing and Opening
7. Pull Bar, Optional at an Additional Charge

Optional Features

- Black Loft Glass Pull Bar + PLN 150



Open



Loft Gloss System

Door Width		Ss	Sp
S1	„60”	644	600
S2	„70”	744	700
S3	„80”	844	800
S4	„90”	944	900
S5	„100”	1044	1000


Door Height	Hs	Hp
H1	2050	1995
H2	2090	2035
H3	2140	2085
H4	2190	2135
H5	2240	2185
H6	2290	2235
H7	2340	2285
H8	2390	2335
H9	2440	2385
H10	2490	2435

Legend:

Ss	Door Leaf Width in mm
Sp	Clear Opening Width in mm
Hs	Door Leaf Height in mm
Hp	Clear Opening Height in mm

Wood Black

Closed



System Components


1. Sliding Track
2. Mounting Brackets
3. Adjustable Door Clamps
4. Stops
5. Floor Guide
6. One Soft-Close Mechanism
7. Pull Bar, Optional at an Additional Charge

Optional Features

- Set of Rounded Pull Handles + PLN 110
- Set of Rectangular Pull Handles + PLN 110
- Black Loft Wood Pull Handle + PLN 150
- Opening Soft-Close Mechanism + PLN 150



Open



Loft Wood System

Door Width		Ss	Sp
S1	„60”	644	600
S2	„70”	744	700
S3	„80”	844	800
S4	„90”	944	900
S5	„100”	1044	1000


Door Height	Hs	Hp
H1	2050	1980
H2	2090	2020
H3	2140	2070
H4	2190	2120
H5	2240	2170
H6	2290	2220
H7	2340	2270
H8	2390	2320
H9	2440	2370
H10	2490	2420

Door Width Double side		Ss-A	Ss-p	Sp
S6	„120”	644	644	1200
S8	„140”	744	744	1400
S10	„160”	844	844	1600
S12	„180”	944	944	1800

CONCEALED SYSTEM
DISCREET

Inward-Opening






The Set Includes:

1. Door Leaf with a 90° Opening Angle
2. Single-Leaf Aluminum Door Frame with a White, Grey, or Black Seal
3. Magnetic Lock — Included
4. Accessories, — p. 90
5. BARCELONA B.5 Door Leaf Prepared for Custom Painting

Outward-Opening






The Set Includes:


1. Door Leaf with a 180° Opening Angle
2. Single-Leaf Aluminum Door Frame with a White, Grey, or Black Seal
3. Magnetic Lock — Included
4. Accessories, — p. 90
5. BARCELONA B.5 Door Leaf Prepared for Custom Painting

CONCEALED SYSTEM
DISCREET

Inward-Opening



Outward-Opening



DISCREET Inward-Opening

Door Width		Ss	Sp1	Sp2	Sz	So
S1	„60”	620	572	605	690	700
S2	„70”	720	672	705	790	800
S3	„80”	820	772	805	890	900
S4	„90”	920	872	905	990	1000
S5	„100”	1020	972	1005	1090	1100

Door Height	Hs	Hp	Hz	Ho
H1	2027	2027	2069	2076
H2	2067	2067	2109	2116
H3	2117	2117	2159	2166
H4	2167	2167	2209	2216
H5	2217	2217	2259	2266
H6	2267	2267	2309	2316
H7	2317	2317	2359	2366
H8	2367	2367	2409	2416
H9	2417	2417	2459	2466
H10	2467	2467	2509	2516

Hinge Quantity Table

		Door Leaf Width				
		S1	S2	S3	S4	S5
wysokość skrzydła	H1	2			3	3
	H2	3				
	H3					
	H4					
	H5					4
	H 6					
	H 7					
	H 8					
	H9					
	H10					

DISCREET Outward-Opening

Door Width		Ss	Sp1	Sp2	Sz	So
S1	„60”	620	572	605	690	700
S2	„70”	720	672	705	790	800
S3	„80”	820	772	805	890	900
S4	„90”	920	872	905	990	1000
S5	„100”	1020	972	1005	1090	1100

Door Height	Hs	Hp	Hz	Ho
H1	2017	2017	2059	2066
H2	2057	2057	2099	2106
H3	2107	2107	2149	2156
H4	2157	2157	2199	2206
H5	2207	2207	2249	2256
H6	2257	2257	2299	2306
H7	2307	2307	2349	2356
H8	2357	2357	2399	2406
H9	2407	2407	2449	2456
H10	2457	2457	2499	2506

Legend

Ss	Door Leaf Width in mm
Sp1	Clear Opening Width in mm
Sp2	Clear Opening Width of the Door Frame in mm
Sz	Overall Door Frame Width in mm
So	Wall Opening Width for the Door Frame in mm
Hs	Door Leaf Height in mm
Hp	Clear Opening Height of the Door Frame in mm
Hz	Overall Door Frame Height in mm
Ho	Wall Opening Height for the Door Frame in mm

Determining the Door Leaf Side

Applies to door leaves with a two-color finish, beveled glass, or different glass design arrangements on each side.

W - **INTERIOR Side,** Viewed from the Clear Opening Side of the Door Frame

Z - **EXTERIOR Side,** Viewed from the Side Flush with the Wall

Optional Features


- Width “90”
- Additional Grey 3D Concealed Hinge, Standard Finish, for Widths “60”–“80”
- 3D Concealed Hinge in Black or White, per Hinge
- Non-Standard Door Dimensions, p. 81
- Solid RAL Paint Finish
- Width “100”

The DISCREET aluminum door frame is supplied as standard with a primer for on-site application, allowing it to be finished with wall paint.

The amounts shown are net prices and do not include VAT.
This Option Is Available Only When Increasing the Number of Hinges from Two to Three

DOOR FRAME
FIXED REBATED AND NON-REBATED


FIXED DOOR FRAME – An economical door frame option for interior doors. It can be installed on walls of various types and thicknesses using additional cover architraves or quarter-round molding. The frame is made entirely of pine timber and finished externally with MDF board or oak veneer, depending on the selected finish.



Door Frame Dimensions 42x90	Net Price (PLN)	
	Single-Leaf	Double-Leaf
Rebated	800	1000
Non-Rebated	1120	1420

Optional Features

- Width "90," Non-Rebated Version + PLN 140
- Width "100," Rebated/Non-Rebated + PLN 70 / PLN 300
- Additional 3D Concealed Hinge for Widths "60"–"80" + PLN 140
- 3D Concealed Hinge in Black or White, per Hinge + PLN 10
- 3D Concealed Hinge in Gold, per Hinge + PLN 40
- Non-Standard Door Dimensions, p. 81
- The Door Width, Including the Door Leaf and Door Frame, Can Be Reduced to Fit a Narrower Wall Opening by 2 or 4 cm No Additional Charge
- Door Frame Shortening: –2 cm, –4 cm, –6 cm, or –8 cm + PLN 40





Two-Pin Hinge



3D Concealed Hinge

Door Width		Ss Rebated	Ss Non-Rebated	Sp	Sz	So
S1	„60"	644	620	602	686	710
S2	„70"	744	720	702	786	810
S3	„80"	844	820	802	886	910
S4	„90"	944	920	902	986	1010
S5	„100"	1044	1020	1002	1086	1110

Door Width		Rebated		Non-Rebated		Sp	Sz	So
		Ss-A	Ss-P	Ss-A	Ss-P			
S6	„120"	844	444	832	432	1236	1320	1350
S7	„130"	844 944	544 444	832 932	532 432	1336	1420	1450
S8	„140"	844 944	644 544	832 932	632 532	1436	1520	1550
S9	„150"	844 944	744 644	832 932	732 632	1536	1620	1650
S10	„160"	844	844	832	832	1636	1720	1750
S11	„170"	944	844	932	832	1736	1820	1850
S12	„180"	944	944	932	932	1836	1920	1950

Door Height	Hs	Rebated			Non-Rebated		
		Hp	Hz	Ho	Hp	Hz	Ho
H1	2037	2023	2065	2080	2035	2077	2090
H2	2077	2063	2105	2120	2075	2117	2130
H3	2127	2113	2155	2170	2125	2167	2180
H4	2177	2163	2205	2220	2175	2217	2230
H5	2227	2213	2255	2270	2225	2267	2280
H6	2277	2263	2305	2320	2275	2317	2330
H7	2327	2313	2355	2370	2325	2367	2380
H8	2377	2363	2405	2420	2375	2417	2430
H9	2427	2413	2455	2470	2425	2467	2480
H10	2477	2463	2505	2520	2475	2517	2530

Hinge Quantity Table

Door Leaf Height	Single-Leaf					Double-Leaf	
	S1 60	S2 70	S3 80	S4 90	S5 100	S1-S4 60-90	S5 100
H1	*2/3			3	3	3	3
H2	3						
H3							
H4							
H5							
H 6					4		4
H 7							
H 8							
H9							
H10							

Two Hinges Only for Non-Rebated Doors in Widths "60"–"80." Three Hinges for Rebated Doors.


Legend:

Ss	Door Leaf Width in mm
Ss-A	Active Leaf Width in mm, Double-Leaf Version
Ss-P	Inactive Leaf Width in mm, Double-Leaf Version
Sp	Clear Opening Width of the Door Frame in mm
Sz	Overall Door Frame Width in mm
So	Wall Opening Width for the Door Frame in mm
Sc	Overall Door Frame Width, Including Architraves, in mm
Hs	Door Leaf Height in mm
Hp	Clear Opening Height of the Door Frame in mm
Hz	Overall Door Frame Height in mm
Ho	Wall Opening Height for the Door Frame in mm
Hc	Overall Door Frame Height, Including Architraves, in mm


DOOR FRAME
ADJUSTABLE REBATED


ADJUSTABLE REBATED DOOR FRAME – The most commonly used door frame for interior doors. The adjustable construction and architraves on both sides allow it to be installed on any type of wall with a thickness ranging from 75 to 500 mm. The standard architrave width is 80 mm. A version with an extended 120 mm top architrave is also available, allowing the door frame to be installed in taller wall openings.

Single-Leaf



Double-Leaf





Code	Adjustment Range: Wall Thickness (mm)	Netto (PLN): Single-Leaf	Netto (PLN): Double-Leaf
B	75-95	1380	1630
C	95-120	1400	1650
D	120-140	1420	1670
E	140-160	1440	1690
F	160-180	1460	1710
G	180-200	1480	1730
H	200-220	1500	1750
I	220-240	1520	1770
J	240-260	1540	1790
K	260-280	1560	1810
L	280-300	1580	1830
M	300-320	1600	1850
N	320-340	1620	1870
O	340-360	1640	1890
P	360-380	1660	1910
R	380-400	1680	1930
S	400-420	1700	1950
T	420-440	1720	1970
U	440-460	1740	1990
V	460-480	1760	2010
W	480-500	1780	2030


Door Width		Ss	Sp	Sz	So	Sc
S1	„60”	644	602	696	720	844
S2	„70”	744	702	796	820	944
S3	„80”	844	802	896	920	1044
S4	„90”	944	902	996	1020	1144
S5	„100”	1044	1002	1096	1120	1244

Door Height	Hs	Hp	Hz	Ho	Hc
H1	2037	2023	2070	2080	2144
H2	2077	2063	2110	2120	2184
H3	2127	2113	2160	2170	2234
H4	2177	2163	2210	2220	2284
H5	2227	2213	2260	2270	2334
H6	2277	2263	2310	2320	2384
H7	2327	2313	2360	2370	2434
H8	2377	2363	2410	2420	2484
H9	2427	2413	2460	2470	2534
H10	2477	2463	2510	2520	2584

Double-Leaf Door Width		Ss-A	Ss-P	Sp	Sz	So	Sc
S6	„120”	844	444	1236	1330	1360	1478
S7	„130”	844 944	544 444	1336	1430	1460	1578
S8	„140”	844 944	644 544	1436	1530	1560	1678
S9	„150”	844 944	744 644	1536	1630	1660	1778
S10	„160”	844	844	1636	1730	1760	1878
S11	„170”	944	844	1736	1830	1860	1978
S12	„180”	944	944	1836	1930	1960	2078

Hinge Quantity Table for Rebated Doors

Door Leaf Height	Single-Leaf S1 60 / S2 70 / S3 80 / S4 90	Single-Leaf S5 100	Double-Leaf S1-S4 60-90	Double-Leaf S5 100
H1	3	3	3	3
H2				
H3				
H4				
H5				
H 6		4		4
H 7				
H 8				
H9				
H10				





Two-Pin Hinge

Single Panel

Range
- B–J (Straight Oak, Crown-Cut Oak, Textured RAL)
- B–N (Smooth RAL)



Double Panel

Range
- K–W (Straight Oak, Crown-Cut Oak, Textured RAL)
- O–W (Smooth RAL)




Optional Features
- Width “100”
- DELUX Version – 120 mm Top Architrave, Complete Set for Both Sides, Single-Leaf/Double-Leaf
- Non-Standard Door Dimensions, p. 81
- The Door Width, Including the Door Leaf and Door Frame, Can Be Reduced by 2 or 4 cm to Fit a Narrower Wall Opening — No Additional Charge
- Door Frame Shortening: –2 cm, –4 cm, –6 cm, or –8 cm

The amounts shown are net prices and do not include VAT.


DOOR FRAME
ADJUSTABLE NON-REBATED


ADJUSTABLE NON-REBATED DOOR FRAME – A more contemporary and modernist alternative to the adjustable rebated door frame. It features concealed hinges and a flush alignment between the architrave and the door leaf surface on the opening side. As with the rebated door frame, the construction is made of MDF.

Single-Leaf



Double-Leaf







Adjustment Range		Netto (PLN)	
Code	Wall Thickness (mm)	Single-Leaf	Double-Leaf
A	75-85	1620	1970
B	85-100	1640	1990
C	100-120	1660	2010
D	120-140	1680	2030
E	140-160	1700	2050
F	160-180	1720	2070
G	180-200	1740	2090
H	200-220	1760	2110
I	220-240	1780	2130
J	240-260	1800	2150
K	260-280	1820	2170
L	280-300	1840	2190
M	300-320	1860	2210
N	320-340	1880	2230
O	340-360	1900	2250
P	360-380	1920	2270
R	380-400	1940	2290
S	400-420	1960	2310
T	420-440	1980	2330
U	440-460	2000	2350
V	460-480	2020	2370
W	480-500	2040	2390

* The Use of WERONA I or WERONA II Decorative Door Frame Packages in the Door Frame, p. 89, Reduces the Adjustment Range by 5 mm. In This Case, an Adjustable Architrave with a Longer 46 mm Tongue Must Be Used.

Door Width		Ss	Sp	Sz	So	Sc
S1	„60”	620	602	658	690	786
S2	„70”	720	702	758	790	886
S3	„80”	820	802	858	890	986
S4	„90”	920	902	958	990	1086
S5	„100”	1020	1002	1058	1090	1186

Door Height	Hs	Hp	Hz	Ho	Hc
H1	2037	2035	2063	2080	2127
H2	2077	2075	2103	2120	2167
H3	2127	2125	2153	2170	2217
H4	2177	2175	2203	2220	2267
H5	2227	2225	2253	2270	2317
H6	2277	2275	2303	2320	2367
H7	2327	2325	2353	2370	2417
H8	2377	2375	2403	2420	2467
H9	2427	2425	2453	2470	2517
H10	2477	2475	2503	2520	2567





3D Concealed Hinge

Double-Leaf Door Width		Ss-A	Ss-P	Sp	Sz	So	Sc
S6	„120”	832	432	1237	1293	1330	1421
S7	„130”	832 932	532 432	1337	1393	1430	1521
S8	„140”	832 932	632 532	1437	1493	1530	1621
S9	„150”	832 932	732 632	1537	1593	1630	1721
S10	„160”	832	832	1637	1693	1730	1821
S11	„170”	932	832	1737	1793	1830	1921
S12	„180”	932	932	1837	1893	1930	2021

Hinge Quantity Table for Non-Rebated Doors

Door Leaf Height	Single-Leaf S1 60	S2 70	S3 80	S4 90	S5 100	Double-Leaf S1-S4 60-90	S5 100
H1	2			3			
H2	3				3	3	3
H3							
H4							
H5							
H6					4		
H7							
H8							
H9							
H10							

Legend:

Ss	Door Leaf Width in mm
Ss-A	Active Leaf Width in mm, Double-Leaf Version
Ss-P	Inactive Leaf Width in mm, Double-Leaf Version
Sp	Clear Opening Width of the Door Frame in mm
Sz	Overall Door Frame Width in mm
So	Wall Opening Width for the Door Frame in mm
Sc	Overall Door Frame Width, Including Architraves, in mm
Hs	Door Leaf Height in mm
Hp	Clear Opening Height of the Door Frame in mm
Hz	Overall Door Frame Height in mm
Ho	Wall Opening Height for the Door Frame in mm
Hc	Overall Door Frame Height, Including Architraves, in mm

Single Panel

Range:
- A–J (Straight Oak, Crown-Cut Oak, Textured RAL)
- A–N (Smooth RAL)



Double Panel

Range:
- K–W (Straight Oak, Crown-Cut Oak, Textured RAL)
- O–W (Smooth RAL)




Optional Features

- Width “90,” Non-Rebated Version
- Width “100,” Non-Rebated Version
- Additional 3D Concealed Hinge for Widths “60”–“80”
- 3D Concealed Hinge in Black or White, per Hinge
- 3D Concealed Hinge in Gold, per Hinge
- Non-Standard Door Dimensions p. 81
- The Door Width, Including the Door Leaf and Door Frame, Can Be Reduced by 2 or 4 cm to Fit a Narrower Wall Opening — No Additional Charge
- DELUX Version – 120 mm Top Architrave, Complete Set for Both Sides, Single-Leaf/Double-Leaf
- Door Frame Shortening: –2 cm, –4 cm, –6 cm, or –8 cm


DOOR FRAME
ADJUSTABLE REVERSE-OPENING


ADJUSTABLE REVERSE-OPENING DOOR FRAME – Its construction is very similar to that of a rebated door frame. The difference lies in the flush side, which, as the name suggests, is reversed in relation to a non-rebated door frame. A reverse-opening door frame is an ideal solution when a flush door-and-wall appearance is desired in a hallway while allowing the door to open inward into the room, reducing the risk of striking someone in the hallway.


Single-Leaf



Double-Leaf







Adjustment Range		Net (PLN)	
Code	Wall Thickness (mm)	Single-Leaf	Double-Leaf
A	75-85	2120	2670
B	85-100	2140	2690
C	100-120	2160	2710
D	120-140	2180	2730
E	140-160	2200	2750
F	160-180	2220	2770
G	180-200	2240	2790
H	200-220	2260	2810
I	220-240	2280	2830
J	240-260	2300	2850
K	260-280	2320	2870
L	280-300	2340	2890
M	300-320	2360	2910
N	320-340	2380	2930
O	340-360	2400	2950
P	360-380	2420	2970
R	380-400	2440	2990
S	400-420	2460	3010
T	420-440	2480	3030
U	440-460	2500	3050
V	460-480	2520	3070
W	480-500	2540	3090

*The Use of WERONA I or WERONA II Decorative Door Frame Packages in the Door Frame, p. 89, Reduces the Adjustment Range by 5 mm. In This Case, an Adjustable Architrave with a Longer 46 mm Tongue Must Be Used.

Door Width		Ss	Sp	Sz	So	Sc1	Sc2
S1	„60”	618	602	682	710	762	810
S2	„70”	718	702	782	810	862	910
S3	„80”	818	802	882	910	962	1010
S4	„90”	918	902	982	1010	1062	1110
S5	„100”	1018	1002	1082	1110	1162	1210

Door Height	Hs	Hp	Hz	Ho	Hc1	Hc2
H1	2049	2048	2088	2100	2127	2152
H2	2089	2088	2128	2140	2167	2192
H3	2139	2138	2178	2190	2217	2242
H4	2189	2188	2228	2240	2267	2292
H5	2239	2238	2278	2290	2317	2342
H6	2289	2288	2328	2340	2367	2392
H7	2339	2338	2378	2390	2417	2442
H8	2389	2388	2428	2440	2467	2492
H9	2439	2438	2478	2490	2517	2542
H10	2489	2488	2528	2540	2567	2592


Hinge Quantity Table for Reverse-Opening Doors

Door Leaf Height	Single-Leaf S1 60	Single-Leaf S2 70	Single-Leaf S3 80	Single-Leaf S4 90	Single-Leaf S5 100	Double-Leaf S1-S4 60-90	Double-Leaf S5 100
H1	2			3	3	3	3
H2	3						
H3							
H4							
H5					4		4
H 6							
H 7							
H 8							
H9							
H10							

Double-Leaf Door Width		Ss-A	Ss-P	Sp	Sz	So	Sc1	Sc2
S6	„120”	618	618	1212	1292	1320	1372	1420
S7	„130”	718	618	1312	1392	1420	1472	1520
S8	„140”	718	718	1412	1492	1520	1572	1620
S9	„150”	818 918	718 618	1512	1592	1620	1672	1720
S10	„160”	818 918	818 718	1612	1692	1720	1772	1820
S11	„170”	918	818	1712	1792	1820	1872	1920
S12	„180”	918	918	1812	1892	1920	1972	2020

Legend:

Ss	Door Leaf Width in mm
Sp	Clear Opening Width of the Door Frame in mm
Sz	Overall Door Frame Width in mm
So	Wall Opening Width for the Door Frame in mm
Sc1	Overall Door Frame Width, Including Architraves, on the Hinge Side in mm
Sc2	Overall Door Frame Width, Including Architraves, on the Door Frame Side in mm
Hs	Door Leaf Height in mm
Hp	Clear Opening Height of the Door Frame in mm
Hz	Overall Door Frame Height in mm
Ho	Wall Opening Height for the Door Frame in mm
Hc1	Overall Door Frame Height, Including Architraves, on the Hinge Side in mm
Hc2	Overall Door Frame Height, Including Architraves, on the Hinge Side in mm



3D Concealed Hinge


Single Panel

Range: A–N



Double Panel

Range: O–W




Optional Features

- Width “90,” Reverse-Opening Version
- Width “100,” Reverse-Opening Version
- Additional 3D Concealed Hinge for Widths “60”–“80”
- 3D Concealed Hinge in Black or White, per Hinge
- 3D Concealed Hinge in Gold, per Hinge
- DELUX Version – 120 mm Top Architrave, Complete Set for Both Sides
- Non-Standard Door Dimensions, p. 81
- The Door Width, Including the Door Leaf and Door Frame, Can Be Reduced by 2 or 4 cm to Fit a Narrower Wall Opening — No Additional Charge
- Door Frame Shortening: –2 cm, –4 cm, –6 cm, or –8 cm


DOOR FRAME
GLASS ADJUSTABLE

GLASS ADJUSTABLE DOOR FRAME – Its construction is based on the most popular adjustable rebated door frame, preserving all of its key functional and installation features.


RONDO Single-Leaf





Double-Leaf



ARCOS








Zakres regulacji		Netto (PLN)	
Symbol	Grubość muru (mm)	1-dz.	2-dz.
B	75-95	1380	1630
C	95-120	1400	1650
D	120-140	1420	1670
E	140-160	1440	1690
F	160-180	1460	1710
G	180-200	1480	1730
H	200-220	1500	1750
I	220-240	1520	1770
J	240-260	1540	1790
K	260-280	1560	1810
L	280-300	1580	1830
M	300-320	1600	1850
N	320-340	1620	1870
O	340-360	1640	1890
P	360-380	1660	1910
R	380-400	1680	1930
S	400-420	1700	1950
T	420-440	1720	1970
U	440-460	1740	1990
V	460-480	1760	2010
W	480-500	1780	2030



Single Panel

Range:
- B–J (Straight Oak, Crown-Cut Oak, Textured RAL)
- B–N (Smooth RAL)



Double Panel


Range:
- K–W (Straight Oak, Crown-Cut Oak, Textured RAL)
- O–W (Smooth RAL)

Single-Leaf Door Width		Ss	Sp	Sz	So	Sc
S1	„60”	620	602	696	720	844
S2	„70”	720	702	796	820	944
S3	„80”	820	802	896	920	1044
S4	„90”	920	902	996	1020	1144
S5	„100”	1020	1002	1096	1120	1244

Door Height	Hs	Hp	Hz	Ho	Hc
H1	2017	2016	2063	2080	2137
H2	2057	2056	2103	2120	2177
H3	2107	2106	2153	2170	2227
H4	2157	2156	2203	2220	2277

Double-Leaf Door Width		Ss-A	Ss-P	Sp	Sz	So	Sc
S6	„120”	820	430	1236	1330	1360	1478
S7	„130”	820 920	530 430	1336	1430	1460	1578
S8	„140”	820 920	630 530	1436	1530	1560	1678
S9	„150”	820 920	730 630	1536	1630	1660	1778
S10	„160”	820	830	1636	1730	1760	1878
S11	„170”	920	830	1736	1830	1860	1978
S12	„180”	920	930	1836	1930	1960	2078

Hinge Quantity Table for GLASS Doors								
		Single-Leaf					Double-Leaf	
		S1 60	S2 70	S3 80	S4 90	S5 100	S1-S4 60-90	S5 100
Door Leaf Height	H1	2						
	H2							
	H3							
	H4							




Legenda:

Ss	Door Leaf Width in mm
Ss-A	Active Leaf Width in mm, Double-Leaf Version
Ss-P	Inactive Leaf Width in mm, Double-Leaf Version
Sp	Clear Opening Width of the Door Frame in mm
Sz	Overall Door Frame Width in mm
So	Wall Opening Width for the Door Frame in mm
Sc	Overall Door Frame Width, Including Architraves, in mm
Hs	Door Leaf Height in mm
Hp	Clear Opening Height of the Door Frame in mm
Hz	Overall Door Frame Height in mm
Ho	Wall Opening Height for the Door Frame in mm
Hc	Overall Door Frame Height, Including Architraves, in mm

Optional Features
- Width "100"
- DELUX Version – 120 mm Top Architrave, Complete Set for Both Sides, Single-Leaf/Double-Leaf Non-Standard
- Door Dimensions p. 81
- The Door Frame Width Can Be Reduced to Fit a Narrower Wall Opening by 2 or 4 cm — No Additional Charge
- Door Frame Shortening: –2 cm, –4 cm, –6 cm, or –8 cm

DOOR SIZES
NON-STANDARD

Additional Charges for Door Sizes



Door HEIGHT	H1			H2,H3,H4		H5,H6,H7		H8,H9,H10	
Door WIDTH	„60" - „80"	„90"	„100"	„60" - „90"	„100"	„60" - „90"	„100"	„60" - „90"	„100"
Door Leaves	-	-	200	200	380	600	780	800	980
Door Frames									
Fixed Rebated	-	-	70	200	280	250	330	300	380
Fixed Non-Rebated		140	300	300	490	350	540	400	490
Adjustable Rebated	-	-	120	400	520	500	620	600	720
Adjustable Non-Rebated	-	140	300	500	730	600	830	700	930
Adjustable Reverse-Opening	-	200	300	500	730	600	830	700	930
DISCREET Inward-Opening	-	140	300	300	530	400	630	500	730
DISCREET Outward-Opening	-	140	300	300	530	400	630	500	730
Wall-Mounted Sliding, Additional Charge for the Passage Door Frame	-	-	120	400	520	500	620	600	720
Pocket Frame with Pocket Sliding System, Single-Leaf	-	-	-	400	400	400	400	400	400
Pocket Frame with Pocket Sliding System, Double-Leaf	-	-	-	800	800	800	800	800	800
Loft Glass Sliding	-	-	-	-	-	-	-	-	-
DOOR COLLECTIONS	All			All		Lamelo, Grand, Baron, Barcelona, Lupo, Focus, Lago, Lepre, Merkury, Wenus, Magnat, Wenecja, Sevilla, Malaga		Lamelo, Grand, Baron, Barcelona, Lupo, Focus, Lago, Lepre, Merkury, Wenus, Magnat, Wenecja, Sevilla, Malaga	

SIDELIGHTS
FOR DOOR FRAMES

FIX Sidelight – A glazed element used both as a side panel and as a top panel. Its construction is based on a frame fitted with glass. This option is available for every door leaf type and has the same appearance regardless of the selected door model. Available in rebated and non-rebated versions.


IMITATION Sidelight – A type of extension used exclusively as a side panel. As the name suggests, the additional door section is designed to imitate the selected door leaf model. It can be combined with a FIX element in a top panel configuration. Available in rebated and non-rebated versions.

FIX 01 Set
Matched to the Door Leaf




Rebated Doors


Top View



Non-Rebated Doors



Available Sets and Sidelight Position Options




Zestaw IM 01




Rebated Doors


Top View



Non-Rebated Doors



Available Sets and Options for Sidelight Positioning



A Sidelight Positioned on the Hinge Side (FIX / IMITATION 01, 05)
B Sidelight Positioned on the Lock Side (FIX / IMITATION 01, 05)


P RIGHT-HAND Door Leaf
L LEFT-HAND Door Leaf

The amounts shown are net prices and do not include VAT.


SIDELIGHTS
FOR DOOR FRAMES

Sidelight Cross-Sections


Horizontal Cross-Section of a Door with a Door Leaf-Imitation Sidelight




Horizontal Cross-Section of a Door with Door Leaf-Imitation Sidelights




Horizontal Cross-Section of a Door with a FIX Sidelight



Horizontal Cross-Section of a Door with FIX Sidelights



FIX and IMITATION Sidelight Types













OPTION	Modern FIX	Traditional FIX	Imitation A	Imitation B	Imitation C	Imitation D
Door leafs models	All	All	All	All	FOCUS Collection	Baron B.3 Malaga A.2/A.4
OPIS	Glazed, Without a Door Leaf Frame	Glazed, Aligned with the Upper and Lower Rails of the Door Leaf	Matched to the Door Leaf Model	Glazed, with a Frame and Decorative Molding Matched to the Door Leaf Model	Glazed, Matched to FOCUS Collection Designs	Glazed, with Strips Extending the Door Leaf Bars
ADDITIONAL CHARGE	p 84	p 84	p 84	p 84	p 84	p 84 Baron B.3/B.4 Malaga A.2/A.4

SIDELIGHTS
FOR DOOR FRAMES

Price List and Dimensions of Sidelight Sets for Fixed and Adjustable Door Frames in Rebated and Non-Rebated Versions*

Prices Do Not Include the Door Leaf

		FIX Sidelight						IMITATION Sidelight			
											
CODE	WALL THICKNESS (MM)	FIX 01	FIX 02	FIX 03	FIX 04	FIX 05	FIX 06	IM 01	IM 02	IM 05	IM 06
FIXED DOOR FRAME											
42x90	od 90	2080	3380	2080	2580	3550	4750	2870	4960	4340	6330
ADJUSTABLE DOOR FRAME											
A	75-85	2660	3960	2660	3160	4130	5330	3450	5540	4920	6910
B	75-95/85-100	2690	3990	2690	3190	4160	5360	3480	5570	4950	6940
C	95-120/100-120	2720	4020	2720	3220	4190	5390	3510	5600	4980	6970
D	120-140	2750	4050	2750	3250	4220	5420	3540	5630	5010	7000
E	140-160	2780	4080	2780	3280	4250	5450	3570	5660	5040	7030
F	160-180	2810	4110	2810	3310	4280	5480	3600	5690	5070	7060
G	180-200	2840	4140	2840	3340	4310	5510	3630	5720	5100	7090
H	200-220	2870	4170	2870	3370	4340	5540	3660	5750	5130	7120
I	220-240	2900	4200	2900	3400	4370	5570	3690	5780	5160	7150
J	240-260	2930	4230	2930	3430	4400	5600	3720	5810	5190	7180
K	260-280	2960	4260	2960	3460	4430	5630	3750	5840	5220	7210
L	280-300	2990	4290	2990	3490	4460	5660	3780	5870	5250	7240
M	300-320	3020	4320	3020	3520	4490	5690	3810	5900	5280	7270
N	320-340	3050	4350	3050	3550	4520	5720	3840	5930	5310	7300
O	340-360	3080	4380	3080	3580	4550	5750	3870	5960	5340	7330
P	360-380	3110	4410	3110	3610	4580	5780	3900	5990	5370	7360
R	380-400	3140	4440	3140	3640	4610	5810	3930	6020	5400	7390
S	400-420	3170	4470	3170	3670	4640	5840	3960	6050	5430	7420
T	420-440	3200	4500	3200	3700	4670	5870	3990	6080	5460	7450
U	440-460	3230	4530	3230	3730	4700	5900	4020	6110	5490	7480
V	460-480	3260	4560	3260	3760	4730	5930	4050	6140	5520	7510
W	480-500	3290	4590	3290	3790	4760	5960	4080	6170	5550	7540
ADDITIONAL CHARGES:											
Non-Rebated Version		300	300	300	650	300	300	300	300	300	300
Traditional FIX		400	500	-	-	400	500	-	-	-	-
Imitation A, Matched to the Door Leaf Model		-	-	-	-	-	-	1200	2400	1200	2400
Bar Above the Mullion in the Top Panel		-	-	200	400	200	400	-	-	200	400
Milky/Clear Glass – Standard		standard	standard	standard	standard	standard	standard	standard	standard	standard	standard
Smoked Graphite/Black Glass		220	440	160	280	440	720	220	440	440	720
Glass Design		220	440	140	280	430	720	220	440	430	720
Beveled Glass[4]/Clear Engraved Glass		700	1400	500	700	1400	2100	700	1400	1400	2100
Non-Standard RAL Color		200	200	200	200	200	200	200	200	200	200
For Door Leaf Heights Above Standard		700	700	700	700	700	700	700	700	700	700

[1] Does Not Exclude the Additional Charge for a Non-Standard Door Leaf Height, [2] Minimum Door Leaf Width: "80,", [3] After Shortening the Door by 6 cm [4] For Side Panels, Only the Horizontal Beveled Lines Are Extended; for the Top Panel, the Vertical Lines Are Extended Accordingly.

The amounts shown are net prices and do not include VAT.

SIDELIGHTS
FOR DOOR FRAMES


SIDELIGHT DIMENSION RANGES FOR THE "47" ADJUSTABLE REBATED DOOR FRAME

FIX Door Widths


Door Width				FIX 01/05				FIX 01/05 IM 01/05					FIX 02/06				FIX 02/06 IM 02/06					FIX 03
			SwNB	200	250	300	350	400	450	500	550	600	200	250	300	350	400	450	500	550	600	–
S3	„80"	Ss 844	Sz	1166	1216	1266	1316	1366	1416	1466	1516	1566	1436	1536	1636	1736	1836	1936	2036	2136	2236	896
		Sp 802	Sc	1314	1364	1414	1464	1514	1564	1614	1664	1714	1584	1684	1784	1884	1984	2084	2184	2284	2384	1044
			So	1200	1250	1300	1350	1400	1450	1500	1550	1600	1470	1570	1670	1770	1870	1970	2070	2170	2270	920
S4	„90"	Ss 944	Sz	1266	1316	1366	1416	1466	1516	1566	1616	1666	1536	1636	1736	1836	1936	2036	2136	2236	2336	996
		Sp 902	Sc	1414	1464	1514	1564	1614	1664	1714	1764	1814	1684	1784	1884	1984	2084	2184	2284	2384	2484	1144
			So	1300	1350	1400	1450	1500	1550	1600	1650	1700	1570	1670	1770	1870	1970	2070	2170	2270	2370	1020
S5	„100"	Ss 1044	Sz	1366	1416	1466	1516	1566	1616	1666	1716	1766	1636	1736	1836	1936	2036	2136	2236	2336	2436	1096
		Sp 1002	Sc	1514	1564	1614	1664	1714	1764	1814	1864	1914	1784	1884	1984	2084	2184	2284	2384	2484	2584	1244
			So	1400	1450	1500	1550	1600	1650	1700	1750	1800	1670	1770	1870	1970	2070	2170	2270	2370	2470	1120

	FIX 04						
Door Width	**S6** „120"	**S7** „130"	**S8** „140"	**S9** „150"	**S10** „160"	**S11** „170"	**S12** „180"
SsA / SsP	844 / 444	844 / 544 944 / 444	844 / 644 944 / 544	844 / 744 944 / 644	844 / 844 944 / 744	944 / 844	944 / 944
Sp	1236	1336	1436	1536	1636	1736	1836
Sz	1330	1430	1530	1630	1730	1830	1930
Sc	1478	1578	1678	1778	1878	1978	2078
So	1360	1460	1560	1660	1760	1860	1960


FIX/IM 01
FIX/IM 05



FIX/IM 02
FIX/IM 06



FIX 03
FIX 04
FIX 05
FIX 06



Door Heights

Top Panel Assembled from Two Elements

Door Heights			FIX 01/02	FIX 03/04/05/06				FIX 03/04/05/06 IM 05/06				
		HwNG	–	200	250	300	350	400	450	500	550	600
H1	Hs 2037	Hz	2070	2340	2390	2440	2490	2540	2590	2640	2690	2740
	Hp 2023	Hc	2144	2414	2464	2514	2564	2614	2664	2714	2764	2814
		Ho	2090	2360	2410	2460	2510	2560	2610	2660	2710	2760
H2	Hs 2077	Hz	2110	2380	2430	2480	2530	2580	2630	2680	2730	2780
	Hp 2063	Hc	2184	2454	2504	2554	2604	2654	2704	2754	2804	2854
		Ho	2130	2400	2450	2500	2550	2600	2650	2700	2750	2800
H3	Hs 2127	Hz	2160	2430	2480	2530	2580	2630	2680	2730	2780	2830
	Hp 2113	Hc	2234	2504	2554	2604	2654	2704	2754	2804	2854	2904
		Ho	2180	2450	2500	2550	2600	2650	2700	2750	2800	2850
H4	Hs 2177	Hz	2210	2480	2530	2580	2630	2680	2730	2780	2830	2880
	Hp 2163	Hc	2284	2554	2604	2654	2704	2754	2804	2854	2904	2954
		Ho	2230	2500	2550	2600	2650	2700	2750	2800	2850	2900
H5	Hs 2227	Hz	2260	2530	2580	2630	2680	2730	2780	2830	2880	2930
	Hp 2213	Hc	2334	2604	2654	2704	2754	2804	2854	2904	2954	3004
		Ho	2280	2550	2600	2650	2700	2750	2800	2850	2900	2950
H6	Hs 2277	Hz	2310	2580	2630	2680	2730	2780	2830	2880	2930	2980
	Hp 2263	Hc	2384	2654	2704	2754	2804	2854	2904	2954	3004	3054
		Ho	2330	2600	2650	2700	2750	2800	2850	2900	2950	3000
H7	Hs 2327	Hz	2360	2630	2680	2730	2780	2830	2880	2930	2980	3030
	Hp 2313	Hc	2434	2704	2754	2804	2854	2904	2954	3004	3054	3104
		Ho	2380	2650	2700	2750	2800	2850	2900	2950	3000	3050
H8	Hs 2377	Hz	2410	2680	2730	2780	2830	2880	2930	2980	3030	3080
	Hp 2363	Hc	2484	2754	2804	2854	2904	2954	3004	3054	3104	3154
		Ho	2430	2700	2750	2800	2850	2900	2950	3000	3050	3100
H9	Hs 2427	Hz	2460	2730	2780	2830	2880	2930	2980	3030	3080	3130
	Hp 2413	Hc	2534	2804	2854	2904	2954	3004	3054	3104	3154	3204
		Ho	2480	2750	2800	2850	2900	2950	3000	3050	3100	3150
H10	Hs 2477	Hz	2510	2780	2830	2880	2930	2980	3030	3080	3130	3180
	Hp 2463	Hc	2584	2854	2904	2954	3004	3054	3104	3154	3204	3254
		Ho	2530	2800	2850	2900	2950	3000	3050	3100	3150	3200

Legend:

Sw NB Internal Width of the Side Panel
Hw NG Internal Height of the Top Panel
Ss Door Leaf Width
Sp Clear Opening Width
Sz Overall Door Frame Width
Sc Overall Door Frame Width, Including Architraves
So Wall Opening Width
Hs Door Leaf Height
Hp Clear Opening Height
Hz Overall Door Frame Height
Hc Overall Door Frame Height, Including Architraves
Ho Wall Opening Height

SIDELIGHTS
FOR DOOR FRAMES


SIDELIGHT DIMENSION RANGES FOR THE "28" ADJUSTABLE NON-REBATED DOOR FRAME

Door Heights Top Panel Assembled from Two Elements


Door Width				FIX 01/05				FIX 01/05 IM 01/05					FIX 02/06					FIX 02/06 IM 02/06					FIX 03
			SwNB	200	250	300	350	400	450	500	550	600	200	250	300	350	400	450	500	550	600	–
S3	„80"	Ss 844	Sz	1128	1178	1228	1278	1328	1378	1428	1478	1528	1398	1498	1598	1698	1798	1898	1998	2098	2198	858
		Sp 802	Sc	1256	1306	1356	1406	1456	1506	1556	1606	1656	1526	1626	1726	1826	1926	2026	2126	2226	2326	986
			So	1160	1210	1260	1310	1360	1410	1460	1510	1560	1430	1530	1630	1730	1830	1930	2030	2130	2230	890
S4	„90"	Ss 944	Sz	1228	1278	1328	1378	1428	1478	1528	1578	1628	1498	1598	1698	1798	1898	1998	2098	2198	2298	958
		Sp 902	Sc	1356	1406	1456	1506	1556	1606	1656	1706	1756	1626	1726	1826	1926	2026	2126	2226	2326	2426	1086
			So	1260	1310	1360	1410	1460	1510	1560	1610	1660	1530	1630	1730	1830	1930	2030	2130	2230	2330	990
S5	„100"	Ss 1044	Sz	1328	1378	1428	1478	1528	1578	1628	1678	1728	1598	1698	1798	1898	1998	2098	2198	2298	2398	1058
		Sp 1002	Sc	1456	1506	1556	1606	1656	1706	1756	1806	1856	1726	1826	1926	2026	2126	2226	2326	2426	2526	1186
			So	1360	1410	1460	1510	1560	1610	1660	1710	1760	1630	1730	1830	1930	2030	2130	2230	2330	2430	1090

	FIX 04						
Door Width	S6 „120"	S7 „130"	S8 „140"	S9 „150"	S10 „160"	S11 „170"	S12 „180"
SsA / SsP	844 / 444	844 / 544 944 / 444	844 / 644 944 / 544	844 / 744 944 / 644	844 / 844 944 / 744	944 / 844	944 / 944
Sp	1236	1336	1436	1536	1636	1736	1836
Sz	1292	1392	1492	1592	1692	1792	1892
Sc	1420	1520	1620	1720	1820	1920	2020
So	1322	1422	1522	1622	1722	1822	1922


FIX/IM 01
FIX/IM 05



FIX/IM 02
FIX/IM 06



FIX 03
FIX 04
FIX 05
FIX 06



Door Heights			FIX 01/02	FIX 03/04/05/06				FIX 03/04/05/06 IM 05/06				
		HwNG	–	200	250	300	350	400	450	500	550	600
H1	Hs 2037	Hz	2063	2333	2383	2433	2483	2533	2583	2633	2683	2733
	Hp 2035	Hc	2127	2397	2447	2497	2547	2597	2647	2697	2747	2797
		Ho	2080	2350	2400	2450	2500	2550	2600	2650	2700	2750
H2	Hs 2077	Hz	2103	2373	2423	2473	2523	2573	2623	2673	2723	2773
	Hp 2075	Hc	2167	2437	2487	2537	2587	2637	2687	2737	2787	2837
		Ho	2120	2390	2440	2490	2540	2590	2640	2690	2740	2790
H3	Hs 2127	Hz	2153	2423	2473	2523	2573	2623	2673	2723	2773	2823
	Hp 2125	Hc	2217	2487	2537	2587	2637	2687	2737	2787	2837	2887
		Ho	2170	2440	2490	2540	2590	2640	2690	2740	2790	2840
H4	Hs 2177	Hz	2203	2473	2523	2573	2623	2673	2723	2773	2823	2873
	Hp 2175	Hc	2267	2537	2587	2637	2687	2737	2787	2837	2887	2937
		Ho	2220	2490	2540	2590	2640	2690	2740	2790	2840	2890
H5	Hs 2227	Hz	2253	2523	2573	2623	2673	2723	2773	2823	2873	2923
	Hp 2225	Hc	2317	2587	2637	2687	2737	2787	2837	2887	2937	2987
		Ho	2270	2540	2590	2640	2690	2740	2790	2840	2890	2940
H6	Hs 2277	Hz	2303	2573	2623	2673	2723	2773	2823	2873	2923	2973
	Hp 2275	Hc	2367	2637	2687	2737	2787	2837	2887	2937	2987	3037
		Ho	2320	2590	2640	2690	2740	2790	2840	2890	2940	2990
H7	Hs 2327	Hz	2353	2623	2673	2723	2773	2823	2873	2923	2973	3023
	Hp 2325	Hc	2417	2687	2737	2787	2837	2887	2937	2987	3037	3087
		Ho	2370	2640	2690	2740	2790	2840	2890	2940	2990	3040
H8	Hs 2377	Hz	2403	2673	2723	2773	2823	2873	2923	2973	3023	3073
	Hp 2375	Hc	2467	2737	2787	2837	2887	2937	2987	3037	3087	3137
		Ho	2420	2690	2740	2790	2840	2890	2940	2990	3040	3090
H9	Hs 2427	Hz	2453	2723	2773	2823	2873	2923	2973	3023	3073	3123
	Hp 2425	Hc	2517	2787	2837	2887	2937	2987	3037	3087	3137	3187
		Ho	2470	2740	2790	2840	2890	2940	2990	3040	3090	3140
H10	Hs 2477	Hz	2503	2773	2823	2873	2923	2973	3023	3073	3123	3173
	Hp 2475	Hc	2567	2837	2887	2937	2987	3037	3087	3137	3187	3237
		Ho	2520	2790	2840	2890	2940	2990	3040	3090	3140	3190

Legend:

Sw NB Internal Width of the Side Panel
Hw NG Internal Height of the Top Panel
Ss Door Leaf Width
Sp Clear Opening Width
Sz Overall Door Frame Width
Sc Overall Door Frame Width, Including Architraves
So Wall Opening Width
Hs Door Leaf Height
Hp Clear Opening Height
Hz Overall Door Frame Height
Hc Overall Door Frame Height, Including Architraves
Ho Wall Opening Height

The amounts shown are net prices and do not include VAT.

SIDELIGHTS
FOR DOOR FRAMES

SIDELIGHT DIMENSION RANGES FOR THE “42” FIXED REBATED AND NON-REBATED DOOR FRAME


Door Widths

REBATED and NON-REBATED Versions


Door Widths				FIX 01/05				FIX 01/05 IM 01/05					FIX 02/06				FIX 02/06 IM 02/06					FIX 03
			SwNB	200	250	300	350	400	450	500	550	600	200	250	300	350	400	450	500	550	600	–
S3	„80”	**Ss** 844	Sz	1156	1206	1256	1306	1356	1406	1456	1506	1556	1426	1526	1626	1726	1826	1926	2026	2126	2226	886
		Sp 802	So	1190	1240	1290	1340	1390	1440	1490	1540	1590	1460	1560	1660	1760	1860	1960	2060	2160	2260	910
S4	„90”	**Ss** 944	Sz	1256	1306	1356	1406	1456	1506	1556	1606	1656	1526	1626	1726	1826	1926	2026	2126	2226	2326	986
		Sp 902	So	1290	1340	1390	1440	1490	1540	1590	1640	1690	1560	1660	1760	1860	1960	2060	2160	2260	2360	1010
S5	„100”	**Ss** 1044	Sz	1356	1406	1456	1506	1556	1606	1656	1706	1756	1626	1726	1826	1926	2026	2126	2226	2326	2426	1086
		Sp 1002	So	1390	1440	1490	1540	1590	1640	1690	1740	1790	1660	1760	1860	1960	2060	2160	2260	2360	2460	1110

	FIX 04						
Door Widths	**S6** **„120”**	**S7** **„130”**	**S8** **„140”**	**S9** **„150”**	**S10** **„160”**	**S11** **„170”**	**S12** **„180”**
SsA / SsP	844 / 444	844 / 544 944 / 444	844 / 644 944 / 544	844 / 744 944 / 644	844 / 844 944 / 744	944 / 844	944 / 944
Sp	1236	1336	1436	1536	1636	1736	1836
Sz	1320	1420	1520	1620	1720	1820	1920
So	1350	1450	1550	1650	1750	1850	1950


FIX/IM 01
FIX/IM 05



FIX/IM 02
FIX/IM 06



FIX 03
FIX 04
FIX 05
FIX 06



Door Heights

Top Panel Assembled from Two Elements

REBATED Version

Door Heights				FIX 01/02	FIX 03/04/05/06				FIX 03/04/05/06 IM 05/06				
			HwNG	–	200	250	300	350	400	450	500	550	600
H1	**Hs**	2037	Hz	2065	2335	2385	2435	2485	2535	2585	2635	2685	2735
	Hp	2023	Ho	2080	2350	2400	2450	2500	2550	2600	2650	2700	2750
H2	**Hs**	2077	Hz	2105	2375	2425	2475	2525	2575	2625	2675	2725	2775
	Hp	2063	Ho	2120	2390	2440	2490	2540	2590	2640	2690	2740	2790
H3	**Hs**	2127	Hz	2155	2425	2475	2525	2575	2625	2675	2725	2775	2825
	Hp	2113	Ho	2170	2440	2490	2540	2590	2640	2690	2740	2790	2840
H4	**Hs**	2177	Hz	2205	2475	2525	2575	2625	2675	2725	2775	2825	2875
	Hp	2163	Ho	2220	2490	2540	2590	2640	2690	2740	2790	2840	2890
H5	**Hs**	2227	Hz	2255	2525	2575	2625	2675	2725	2775	2825	2875	2925
	Hp	2213	Ho	2270	2540	2590	2640	2690	2740	2790	2840	2890	2940
H6	**Hs**	2277	Hz	2305	2575	2625	2675	2725	2775	2825	2875	2925	2975
	Hp	2263	Ho	2320	2590	2640	2690	2740	2790	2840	2890	2940	2990
H7	**Hs**	2327	Hz	2355	2625	2675	2725	2775	2825	2875	2925	2975	3025
	Hp	2313	Ho	2370	2640	2690	2740	2790	2840	2890	2940	2990	3040
H8	**Hs**	2377	Hz	2405	2675	2725	2775	2825	2875	2925	2975	3025	3075
	Hp	2363	Ho	2420	2690	2740	2790	2840	2890	2940	2990	3040	3090
H9	**Hs**	2427	Hz	2455	2725	2775	2825	2875	2925	2975	3025	3075	3125
	Hp	2413	Ho	2470	2740	2790	2840	2890	2940	2990	3040	3090	3140
H10	**Hs**	2477	Hz	2505	2775	2825	2875	2925	2975	3025	3075	3125	3175
	Hp	2463	Ho	2520	2790	2840	2890	2940	2990	3040	3090	3140	3190

NON-REBATED Version

H1	**Hs**	2037	Hz	2077	2347	2397	2447	2497	2547	2597	2647	2697	2747
	Hp	2035	Ho	2090	2360	2410	2460	2510	2560	2610	2660	2710	2760
H2	**Hs**	2077	Hz	2117	2387	2437	2487	2537	2587	2637	2687	2737	2787
	Hp	2075	Ho	2130	2400	2450	2500	2550	2600	2650	2700	2750	2800
H3	**Hs**	2127	Hz	2167	2437	2487	2537	2587	2637	2687	2737	2787	2837
	Hp	2125	Ho	2180	2450	2500	2550	2600	2650	2700	2750	2800	2850
H4	**Hs**	2077	Hz	2217	2487	2537	2587	2637	2687	2737	2787	2837	2887
	Hp	2075	Ho	2230	2500	2550	2600	2650	2700	2750	2800	2850	2900
H5	**Hs**	2127	Hz	2267	2537	2587	2637	2687	2737	2787	2837	2887	2937
	Hp	2125	Ho	2280	2550	2600	2650	2700	2750	2800	2850	2900	2950
H6	**Hs**	2077	Hz	2317	2587	2637	2687	2737	2787	2837	2887	2937	2987
	Hp	2075	Ho	2330	2600	2650	2700	2750	2800	2850	2900	2950	3000
H7	**Hs**	2127	Hz	2367	2637	2687	2737	2787	2837	2887	2937	2987	3037
	Hp	2125	Ho	2380	2650	2700	2750	2800	2850	2900	2950	3000	3050
H8	**Hs**	2077	Hz	2417	2687	2737	2787	2837	2887	2937	2987	3037	3087
	Hp	2075	Ho	2430	2700	2750	2800	2850	2900	2950	3000	3050	3100
H9	**Hs**	2127	Hz	2467	2737	2787	2837	2887	2937	2987	3037	3087	3137
	Hp	2125	Ho	2480	2750	2800	2850	2900	2950	3000	3050	3100	3150
H10	**Hs**	2077	Hz	2517	2787	2837	2887	2937	2987	3037	3087	3137	3187
	Hp	2075	Ho	2530	2800	2850	2900	2950	3000	3050	3100	3150	3200

Legend:
SwNB Internal Width of the Side Panel
HwNG Internal Height of the Top Panel

Ss Door Leaf Width
Sp Clear Opening Width
Sz Overall Door Frame Width
Sc Overall Door Frame Width, Including Architraves
So Wall Opening Width

Hs Door Leaf Height
Hp Clear Opening Height
Hz Overall Door Frame Height
Hc Overall Door Frame Height, Including Architraves
Ho Wall Opening Height

DOOR FRAME
DECORATIVE ELEMENTS

Flat Architraves

1 STANDARD Architrave



2 DELUX 12 cm² Architrave



Panels

3 30 cm Panel




4 100 cm Panel
- for Custom Trimming



Moldings

5 COVER ARCHITRAVE



Dimensions :80 x 16 mm

Molding Length 2200 mm

6 Quarter-Round Molding




Dimensions :17 x 17 mm

Molding Length 2450 mm

7 Moisture-Resistant BASEBOARD

Moisture-Resistant Green MDF



Dimensions: 80 x 16 mm

Molding Length 2750 mm

ADDITIONAL CHARGES PER ONE SIDE OF THE DOOR	NET PRICE (PLN)			
Single-Leaf	- /320	- /420	390	590
Double-Leaf	- /420	- /520	590	890
Extended 46 mm Tongue	40	40	40	40
Height: H2, H3, H4	- / 20	- / 20	- / 20	- / 20
Height: H5, H6, H7	- / 30	- / 30	- / 30	- / 30
Height: H8, H9, H10	- / 40	- / 40	- / 40	- / 40
Non-Standard RAL Color	According to the Door Frame Price List	According to the Door Frame Price List	According to the Door Frame Price List	According to the Door Frame Price List

NET PRICE (PLN)		
100 zł / 1 strip	80 zł / 1 strip	160 zł / 1 strip
30	30	30

[2] The DELUX architrave is available only as a complete set for both sides of the door. Additional charges are listed in the descriptions of the respective door frames.

[3] The price before "/" indicates the additional charge for the element when ordered as part of a complete door frame set while the price after "/" indicates the additional charge when the element is ordered separately.

DOOR FRAME

DECORATIVE ELEMENTS

8 P4 Architrave, Type A – 45°




9 WERONA II Decorative Door Frame Package, Type A – 45°




10 WERONA I Decorative Door Frame Package, Type A – 90°



11 P4S Architrave, Type A – 45°, with Plinth Block



12* RETRO Plus Architrave, Type A – 45°



13 PRESTIGE P4S Decorative Door Frame Package Type B – 90°, with Plinth Blocks and Crown



14 PRESTIGE P5S Decorative Door Frame Package Type B – 90°, with Plinth Blocks and Crown



ADDITIONAL CHARGES PER ONE SIDE OF THE DOORS	NET PRICE (PLN)						
	8	9	10	11	12	13	14
Single-Leaf³	70	280	450	170	170	340	440
Double-Leaf³	90	330	520	190	190	410	510
Extended 46 mm Tongue	40	40	40	40	40	40	40
Height: H2, H3, H4	- / 20	20	20	20	20	20	20
Height: H5, H6, H7	- / 30	30	30	30	30	30	30
Height: H8, H9, H10	- / 40	40	40	40	40	40	40
Additional Charge for a Non-Standard RAL Color	100	100	100	100	100	100	100
Price of the Decorative Elements as a Complete Set for One Side of the Door When Ordered Separately, for STANDARD Height H10							
Single-Leaf³	390	600	770	490	490	660	760
Double-Leaf³	510	750	940	610	610	830	930

ACCESSORIES AND OPTIONS

DOOR LOCKS

Compatible Exclusively with Door Handles Featuring a SEPARATE ROSETTE

For Hinged Doors




STANDARD Lock for Rebated Doors



MAGNETIC Lock for Non-Rebated and Reverse-Opening Doors

LOCKS AND PULL HANDLES

For sliding doors



Hook Lock with Flush Pull

Hook Lock with Rounded Rectangular Flush Pull

Rectangular Flush Pull

Available Versions

- KL Key Lock
- WK Cylinder Lock
- WC Bathroom Lock

HINGE COVERS



Chrome | Matte Chrome | Gold | złoty mat | Matt black | White | Antique Brass

ZAWIASY DO DRZWI BEZPRZYLGOWYCH



Satine chrome | Gold | Matt black | White

Glass Types

TRANSPARENT



Clear | Smoked Graphite

OPAQUE LIGHT-TRANSMITTING



Milky | Decormat

OPAQUE NON-LIGHT-TRANSMITTING



Black

A - 6 mm VSG Safety Glass
B -8 mm VSG Safety Glass (FOCUS)
C - 8 mm ESG Tempered Glass (GLASS)

DROP SEAL




Lock Cylinder



Glass Design Types


Sandblasted Design s8 mm Line Width, Available on Every Glass Type




Single Frame | Double Frame | Bar

Beveled Design

On Clear Non-Tempered Glass | On Non-Tempered Decormat Glass



Engraving on Clear Glass




Grid

MAGNETIC DOOR STOP



- No Protruding Components
- No Tripping Hazard
- Does Not Damage the Door Leaf
- Simple and Quick Installation

VENTILATION UNDERCUT



Flush Door Leaves | Stile and Rail Door Leaves | Focus | Glass

ADDITIONAL CHARGES

Standard, Magnetic, or Hook Lock in Black, Gold, or White	
KL Hook Lock with Flush Pulls	
WK/WC Hook Lock with Flush Pulls	
Set of Flush Pulls	
Loft Glass Pull Bar / Loft Wood Pull Handle	
Hinge Covers for Rebated Doors Handle ALUX or RETRO	
Ventilation Undercut in the Rail	
Ventilation Undercut in the Glass	
Clear Magnetic Door Stop	
Drop Seal	
Wooden Threshold Inside the Door Frame, 25 × 90 mm	
25/35 Stainless Steel Cylinder for Rebated Doors	
30/30 Stainless Steel Cylinder for Non-Rebated Doors	
25/40 Stainless Steel Cylinder for Reverse-Opening Doors	
17/31 Stainless Steel Cylinder for GLASS Doors	
Door Frame Shortening: -2 cm, - 4 cm, - 6 cm, - 8 cm	
Wall Panels	Custom-Designed

*The amounts shown are net prices and do not include VAT. Clear, milky, and black glass is made of 6 mm laminated VSG safety glass. Smoked graphite, beveled, and engraved glass is made of standard 6 mm non-tempered glass. The FOCUS and GLASS door collections are exceptions. In these collections, smoked graphite glass is made of 8 mm glass—VSG safety glass for FOCUS and tempered glass for GLASS, respectively.

ACCESSORIES
HANDLES

Our Partners:

Heston Home APRILE

VERSION	NET PRICE (PER SET)		MODEL
	color 01, 02, 03	04, 05, 06	**AZALIA**
	230	270	
	280	320	
	320	360	
	color 01, 02, 03	04	**KALMIA**
	180	200	
	230	250	
	270	290	
	color 01, 02, 03	04, 05, 06	**DALIA**
	240	280	
	290	330	
	330	370	
	color 07		**VENTO**
	120		
	140		
	150		
	color 01, 03	04, 05	**MOLINIA**
	270	310	
	330	370	
	370	410	
	color 03, 15, 16, 17, 18		**HAMPTON SHORT MOSIĘŻNA**
	600		
	820		
	940		

VERSION	NET PRICE (PER SET)		MODEL
	color 01, 02, 03	04	**PYROLA**
	190	210	
	250	270	
	290	310	
	color 01, 02, 03	04, 05, 06	**PINA**
	240	280	
	290	330	
	330	370	
	color 01, 02, 03	04, 05, 06	**RAFLESIA**
	270	310	
	330	370	
	370	410	
	color 01, 03	04, 05, 07	**MARIGOLD**
	310	370	
	380	440	
	420	490	
	color 01, 02, 03	04, 05	**LILA**
	240	280	
	300	340	
	340	380	
	color 03, 15, 16, 17, 18		**SOLID BRASS**
	800		
	1020		
	1140		

Colors

01 Chrome

02 Satin Chrome

03 Black

04 Gold

05 Matte Gold

06 Copper

07 Antique Brass

15 Polished Brass

16 Hammered Brass

17 Polished Nickel

18 Hammered Nickel

Factory Drilling of the Door Leaf for Handles from the Barański Drzwi Collection Is Available as an Option at No Additional Charge.

All prices in this catalog are stated in Polish złoty (PLN) as net amounts. Due to the printing process, the colors shown may differ from the actual finishes. Because of the natural characteristics of wood and genuine veneers, we cannot guarantee identical grain patterns or perfectly matching shades across all product components. The manufacturer reserves the right to change prices and product availability without prior notice. The manufacturer is not responsible for printing errors. This catalog does not constitute a legally binding offer within the meaning of the Polish Civil Code and is published for informational purposes only.

INSTAGRAM

TIK-TOK

KATALOGI

Barański®
DRZWI

www.baranskidrzwi.pl